


CE

TOOLS FOR PROFESSIONALS

*Extreme Power &
Extreme Performance*



Made in Taiwan

Redtex

REDTEX INDUSTRIAL CO., LTD.

6F.-3, NO.100, Sec. 2, Songzhu 5th Rd, Beitun Dist., Taichung City 406, Taiwan.

Tel :+886-4-24371086 Fax:+886-4-24373820 E-mail:redtex.ind@msa.hinet.net

Official Website:www.redtex.com.tw



PNEUMATIC | NEW EXTREME COMPOSITE TOOLS :::: | AIR IMPACT WRENCH



- **New Material Magnesium** alloy steel for front cover. lightest weight, highest torque, perfect vibration damping
- **New Motor** Industrial Motor **25%** increase in performance.



Vane with spring mounted to prevent dead-lock or powerless problem



- **New Trigger** Great control full trigger
- **New Regulator** More convenient to switch forward and reverse.
- **New Composite Housing** Nylon with **40%** fibre best hand feeling and comfortable.
- **Air Hose Won't be knotted** Inlet joint can be rotated 360°



RT19300



RT19303

Item No.	Square Drive (inch)	Free Speed (RPM)	Working Torque 5 Sec (ft-lb/Nm)	Max. Torque 15 Sec (ft-lb/Nm)	Nut-Busting Torque (ft-lb/Nm)	Product Weight (kgs/lbs)	Product Length (mm/inch)	Air Cons (1/min/cfm)	Air Inlet Pressure	Air Inlet (inch)	Air Hose (inch)	Mechanism
RT19300	3/8"	8,000	400/542	500/678	800/1,085	1.0/2.2	141/5.55	129/4.5	6.3 kg/cm ² 90 psi	1/4"	3/8"	Jumbo Hammer
RT19303	1/2"	10,000	500/678	600/814	1,000/1,356							

PNEUMATIC | NEW EXTREME COMPOSITE TOOLS :::: AIR IMPACT WRENCH



RT19301-3



RT19307

Item No.	Square Drive (inch)	Free Speed (RPM)	Working Torque 5 Sec (ft-lb/Nm)	Max. Torque 15 Sec (ft-lb/Nm)	Nut-Busting Torque (ft-lb/Nm)	Product Weight (kgs/lbs)	Product Length (mm/inch)	Air Cons (1/min/cfm)	Air Inlet Pressure	Air Inlet (inch)	Air Hose (inch)	Mechanism
RT19301-3	1/2"	8,500	800/1,080	950/1,283	1,600/2,170	1.65/3.6	179/6.89	158/5.5	6.3 kg/cm ² 90 psi	1/4"	3/8"	Twin Hammer
RT19307	3/4"		750/1,013	900/1,215		1.85/4.0	198/7.79					



RT19305-3



RT19309

Item No.	Square Drive (inch)	Free Speed (RPM)	Working Torque 5 Sec (ft-lb/Nm)	Max. Torque 15 Sec (ft-lb/Nm)	Nut-Busting Torque (ft-lb/Nm)	Product Weight (kgs/lbs)	Product Length (mm/inch)	Air Cons (1/min/cfm)	Air Inlet Pressure	Air Inlet (inch)	Air Hose (inch)	Mechanism
RT19305-3	3/4"	6,000	1,250/1,687	1,550/2,092	2,500/3,390	3.0/6.4	209/8.22	198/7.0	6.3 kg/cm ² 90 psi	3/8"	3/8"	Twin Hammer
RT19309	1"					3.15/6.4	219/8.22					

PNEUMATIC | NEW EXTREME COMPOSITE TOOLS :::: AIR IMPACT WRENCH



RT19313 W/Straight Side Handle



RT19311-6 W/Extended 6"Anvil

Item No.	Square Drive (inch)	Free Speed (RPM)	Working Torque 5 Sec (ft-lb/Nm)	Max. Torque 15 Sec (ft-lb/Nm)	Nut-Busting Torque (ft-lb/Nm)	Product Weight (kgs/lbs)	Product Length (mm/inch)	Air Cons (1/min/cfm)	Air Inlet Pressure	Air Inlet (inch)	Air Hose (inch)	Mechanism
RT19313	1"	5,500	2,000/2,700	2,200/2,970	4,000/5,424	5.7/12.54	256/10.07	212/7.5	6.3 kg/cm ² 90 psi	1/2"	1/2"	Twin Hammer
RT19311-6						7.2/15.84	580/22.83					

NEW ALUMINUM AIR IMPACT WRENCH

MINI TYPE



RT19071

- Low noise.
- Low vibration.

PALM TYPE



RT19073/RT19075

Item No.	Square Drive (inch)	Free Speed (RPM)	Working Torque 5 Sec (ft-lb/Nm)	Max. Torque 15 Sec (ft-lb/Nm)	Nut-Busting Torque (ft-lb/ Nm)	Product Weight (kgs/lbs)	Product Length (mm/nch)	Air Cons (1/min/cfm)	Air Inlet Pressure	Air Inlet (inch)	Air Hose (inch)	Mechanism
RT19071	1/2"	11,000	450/610	550/746	900/1,220	1.2/2.64	111/4.37	129/4.5	6.3 kg/cm ² 90 psi	1/4"	3/8"	Jumbo Hammer
RT19073		7,500	332/450	369/500	1.10/2.23	85/3.35	3.4	85/3.35				Twin Hammer
RT19075	3/8"	7,500										

PNEUMATIC | NEW EXTREME ALUMINUM TOOLS :::: | AIR IMPACT WRENCH



RT19077



RT19079



**3 Different
speed adjustment**

**Injection hole design
for mechanism repair
* fills 5g a time**

Item No.	Square Drive (inch)	Bolt Capacity (mm)	Working Torque (ft-lb/Nm)	Max. Torque (ft-lb/Nm)	Speed (RPM)	Net Weight (Kg/LB)	Product Length (mm)	Air Cons (m ³ /min)	Air Inlet (inch)	Hose Size (mm)	Sound Pressure (dBA)	Vibration (m/s ²)	Mechanism
RT19077	1/2"	25	200-900/ 271-1,220	1,100/1,491	8,000	1.5(3.3)	109	0.2	1/4"	10	94	2.8	Jumbo Hammer
RT19079				1,200/1,627	9,000	1.65(3.63)	128						

NEW EXTREME ALUMINUM AIR IMPACT WRENCH

HEAVY DUTY



RT19061



RT19063

Item No.	Square Drive (inch)	Bolt Capacity (mm)	Max. Torque (ft-lb/Nm)	Net Weight (Kg/LB)	Product Length (mm)	Air Cons (m ³ /min)	Air Inlet (inch)	Hose Size (inch)	Sound Pressure (dBA)	Vibration (m/s ²)	Speed (RPM)	Mechanism
RT19061	1/2"	27	800/1,085	2.48/5.46	164	0.23	1/4"	3/8"	87	4.5	7,500	Twin Hammer
RT19061L				2.59/5.70	215							
RT19063	3/4"	29	850/1,153	2.55/5.61	170							
RT19063L				3.08/6.78	323							

PNEUMATIC POWER AIR TOOLS

CE



**Extreme
Minimal**



Made in Taiwan

Redtex

RETEX INDUSTRIAL CO., LTD.

6F-3, NO.100, Sec. 2, Songzhu 5th Rd, Beitun Dist., Taichung City 406, Taiwan.

Tel :+886-4-24371086 Fax:+886-4-24373820 E-mail:redtex.ind@msa.hinet.net

Official Website:www.redtex.com.tw



PNEUMATIC | EXTREME MINIMAL TOOLS :::: | AIR TOOLS



- The same 0.3 horsepower.
- 26% Shorter length.
- Low noise.
- Low vibration.
- Rotor five Blade design.



RT19629/RT19631KIT



RT19623



RT19625

Item No.	RT19623		RT19625		RT19629/RT19631KIT	
Item Name	Minimal Ratchet Wrench		Minimal Ratchet Wrench / Extended 5"		Minimal Multifunction Ratchet Wrench	
Anvil Size	3/8 inch with 1/4" Hex		1/4 inch (3/8 inch)		Inner Hex 17mm	
Free Speed	300 rpm		250 rpm		400rpm	
Working Torque	10 ft-lb	13 Nm	10 ft-lb	13 Nm	10 ft-lb	13 Nm
Max. Torque	35 ft-lb	47.5 Nm	35 ft-lb	47.5 Nm	35 ft-lb	47.5 Nm
Product Weight	0.45 kg	0.99 lb	0.8 kg	1.76 lb	0.48 kg	1.06 lb
Product Length	134 mm	5.28 inch	280 mm	11.03 inch	159 mm	6.26 inch
Air Consumption	84 l/min	3 cfm	84 l/min	3 cfm	84 l/min	3 cfm
Air Inlet Pressure	6.3 kg/cm ²	90 psi	6.3 kg/cm ²	90 psi	6.3 kg/cm ²	90 psi
Air Inlet Size	1/4 inch		1/4 inch		1/4 inch	
Air Hose I.D.	3/8 inch		3/8 inch		3/8 inch	
Exhaust Type	Rear Exhaust		Rear Exhaust		Rear Exhaust	
Sound Pressure	83 dB(A)		83 dB(A)		83 dB(A)	
Vibration Level	3.2 m/s ²		3.2 m/s ²		3.2 m/s ²	

PNEUMATIC | EXTREME MINIMAL TOOLS :::: | AIR TOOLS



RT19637



RT19639

Item No.	RT19637		RT19639	
Item Name	Minimal Angle Grinder / cut-off		Minimal Angle Disc Sander	
Cylinder Power	0.3 hp	223.7 w	0.3 hp	223.7 w
Wheel Size	Max.60 mm	Max.2.5 inch	50 mm	2 inch
Spindle Thread	3/8" -24UNF		1/4" -20UNF	
Free Speed	18,000 rpm		18,000 rpm	
Product Weight	0.53 kg	1.17 lb	0.41 kg	0.90 lb
Product Length	129 mm	5.08 inch	133 mm	5.24 inch
Air Consumption	84 l/min	3 cfm	84 l/min	3 cfm
Air Inlet Pressure	6.3 kg/cm ²	90 psi	6.3 kg/cm ²	90 psi
Air Inlet Size	1/4 inch		1/4 inch	
Air Hose I.D.	3/8 inch		3/8 inch	
Exhaust Type	Rear Exhaust		Rear Exhaust	
Sound Pressure	81.5 dB(A)		83 dB(A)	
Vibration Level	2.5 m/s ²		2.5 m/s ²	



RT19641



RT19643

Item No.	RT19641		RT19643	
Item Name	Minimal Angle Disc Sander		Minimal Angle Polisher	
Cylinder Power	0.3 hp	223.7 w	0.3 hp	223.7 w
Wheel Size	50 mm	2 inch	50 mm	2 inch
Spindle Thread	5/16" -24UNF		5/16" -24UNF	
Free Speed	18,000 rpm		4,500 rpm	
Product Weight	0.41 kg	0.90 lb	0.61 kg	1.35 lb
Product Length	136 mm	5.36 inch	141 mm	5.55 inch
Air Consumption	84 l/min	3 cfm	84 l/min	3 cfm
Air Inlet Pressure	6.3 kg/cm ²	90 psi	6.3 kg/cm ²	90 psi
Air Inlet Size	1/4 inch		1/4 inch	
Air Hose I.D.	3/8 inch		3/8 inch	
Exhaust Type	Rear Exhaust		Rear Exhaust	
Sound Pressure	81.5 dB(A)		81.5 dB(A)	
Vibration Level	2.5 m/s ²		3.0 m/s ²	

PNEUMATIC | EXTREME MINIMAL TOOLS :::: | AIR TOOLS



- The same 0.3 horsepower.
- 26% Shorter length.
- Low noise.
- Low vibration.
- Rotor five Blade design.



RT19635



RT19633



RT19638

Item No.	RT19633		RT19638		RT19635	
Item Name	Minimal Die Grinder		Minimal Die Grinder - Extended 3"		Minimal Angle Die Grinder	
Cylinder Power	0.3 hp	223.7 w	0.3 hp	223.7 w	0.3 hp	223.7 w
Collect Capacity	6 mm	1/4 inch	6 mm	1/4 inch	6 mm	1/4 inch
Free Speed	25,000 rpm		25,000 rpm		18,000 rpm	
Product Weight	0.29 kg	0.64 lb	0.40 kg	0.88 lb	0.43 kg	0.95 lb
Product Length	115 mm	4.53 inch	190 mm	7.48 inch	126 mm	4.96 inch
Air Consumption	84 l/min	3 cfm	84 l/min	3 cfm	84 l/min	3 cfm
Air Inlet Pressure	6.3 kg/cm ²	90 psi	6.3 kg/cm ²	90 psi	6.3 kg/cm ²	90 psi
Air Inlet Size	1/4 inch		1/4 inch		1/4 inch	
Air Hose I.D.	3/8 inch		3/8 inch		3/8 inch	
Exhaust Type	Rear Exhaust		Rear Exhaust		Rear Exhaust	
Sound Pressure	82.5 dB(A)		82.5 dB(A)		81.5 dB(A)	
Vibration Level	0.5 m/s ²		0.5 m/s ²		2.5 m/s ²	

PNEUMATIC | NEW EXTREME TOOLS :::: | AIR HAMMER



Professional heavy-duty air hammer with one-touch quick-release coupler ensures safe and efficient operation.

RT19223

Item No.	Free Speed	Shank Opening	Stroke	Air Inlet (inch)	Recommended Air Pressure	Average Air Consumption	Length
RT19223	2,500RPM	0.401"	3-7/8"(98mm)	1/4"	90 PSI(6.2Bar)	18 SCFM	269mm



RT19227-1

190mm Air Hammer Set (Round Shank)

Content: 1pcs Quick Change Retainer
5pcs Chisels 175mm(L)



RT19227-2

190mm Air Hammer Set (Round Shank)

Content: 1pcs Spring Retainer
5pcs Chisels 175mm(L)



RT19229

13pcs Special Air Chisel Set (For Vehicle Repair)

Content: 1pcs 250mm Air Hammer (Round Shank)
1pcs Quick Change Spring Retainer
1pcs Nipple
10pcs Special Chisels



Item No.	Piston Stroke (mm)	Stroke Speed (bpm)	Net Weight (kg)	Product Length (mm)	Air Cons (m ³ /min)	Air Inlet (inch)	Hose Size (mm)	Sound Pressure (dBA)	Vibration (m/s ²)
RT19227-1/-2	67	3,200	1.6	175	0.11	1/4"	6.5	99	13.7
RT19229	89	2,100	2	225				96	11

PNEUMATIC POWER AIR TOOLS

CE

New Extreme
Aluminum

1/2" Air Impact Wrench



Made in Taiwan



MORE INFORMATION

Redtex

REDTEX INDUSTRIAL CO., LTD.

6F.-3, NO.100, Sec. 2, Songzhu 5th Rd, Beitun Dist., Taichung City 406, Taiwan.

Tel :+886-4-24371086 Fax:+886-4-24373820 E-mail:redtex.ind@msa.hinet.net

Official Website:www.redtex.com.tw

PNEUMATIC TOOLS - AIR IMPACT WRENCH

INNOVATION FOR AIR IMPACT WRENCH TO MAINTAIN TOOL DURABILITY



hammer cage
no
grease



fill
grease



**Patented injection hole design
for mechanism repairing**
● fills 5g a time

MINI AIR IMPACT WRENCH



RT19050G

RT19050GQ

WITH MUFFLER



RT19053G

RT19053GQ

WITH MUFFLER

Item No.	Square Drive (inch)	Bolt Capacity (mm)	Max. Torque ft.lb(Nm)	Net Weight (Kg/LB)	Length (mm)	Air Cons (m ³ /min)	Air Inlet (inch)	Hose Size (mm)	Sound Pressure (dBA)	Vibration (m/s ²)	Speed (RPM)	Mechanism
RT19050G	1/2"	16	700/949	1.37/3	104	0.21	1/4"	10	94	2.8	10000	Jumbo Hammer
RT19050GQ									85			
RT19053G	1/2"	16	650/881	1.40/3.10	99	0.21	1/4"	10	94	2.8	10000	Twin Hammer
RT19053GQ									85			

PNEUMATIC TOOLS - ULTRA & COMPACT AIR IMPACT WRENCH (LIGHT WEIGHT)



RT19045G

RT19045GQ

WITH MUFFLER



RT19046G

RT19046GQ

WITH MUFFLER

Item No.	Square Drive (inch)	Bolt Capacity (mm)	Max. Torque ft.lb(Nm)	Net Weight (Kg/LB)	Length (mm)	Air Cons (m ³ /min)	Air Inlet (inch)	Hose Size (mm)	Sound Pressure (dBA)	Vibration (m/s ²)	Speed (RPM)	Mechanism
RT19045G	1/2"	23	1000/1356	1.80/3.96	141	0.2	1/4"	10	94	2.8	9000	Twin Hammer
RT19045GQ									85		7000	
RT19046G	3/4"	23	1100/1491	1.90/4.18	146	0.2	1/4"	10	94	2.8	9000	Twin Hammer
RT19046GQ									85		8500	

HEAVY DUTY AIR IMPACT WRENCH



RT19061G



RT19063G

Item No.	Square Drive (inch)	Bolt Capacity (mm)	Max. Torque ft.lb(Nm)	Net Weight (Kg/LB)	Length (mm)	Air Cons (m ³ /min)	Air Inlet (inch)	Hose Size (mm)	Sound Pressure (dBA)	Vibration (m/s ²)	Speed (RPM)	Mechanism
RT1961	1/2"	27	800/1085	2.48/5.46	164	0.23	1/4"	10	87	4.5	7500	Twin Hammer
RT1961G				2.59/5.7	215							
RT1961L				2.55/5.61	170							
RT19063	3/4"	29	850/1153	2.55/5.61	170	0.23	1/4"	10	87	4.5	7500	Twin Hammer
RT19063G				3.08/6.78	323							
RT19063L				3.08/6.78	323							

PNEUMATIC TOOLS - LIGHT WEIGHT AIR IMPACT WRENCH



CE-N-0327-14-33
SAFETY REQUIREMENT: TR_EN ISO 11148-6
NOISE LEVEL : TR_noise_ENISO15744
VIBRATION LEVEL: TR-vib_EN ISO28927-2
RISK ASSESSMENT & RISK REDUCTION:
ISO 12100 : 2010

RT19037S

9PCS 1/2" DR. AIR IMPACT WRENCH SET

- 1pcs 1/2"Dr. Mini Light Weight Air Impact Wrench
- 7pcs 1/2"Dr. Impact Socket 13,14,17,19,21,22,24mm
- 1pcs Air Coupler 1/4"



MINI LIGHT WEIGHT AIR IMPACT WRENCH HIGH TORQUE



RT19037/19038



RT19039/19040



RT19041/19042



3 DIFFERENT SPEED
ADJUSTMENT

Item No.	Square Drive (inch)	Bolt Capacity (mm)	Max. Torque ft.lb(Nm)	Net Weight (Kg/LB)	LENGTH (mm)	Air Cons (m ³ /min)	Air Inlet (inch)	Hose Size (mm)	Sound Pressure (dBA)	Vibration (m/s ²)	Speed (RPM)	Mechanism
RT19037	1/2"	16	500/678	1.36/3	99	0.2	1/4"	10	94	2.8	10000	Jumbo Hammer
RT19038	3/8"	16	450/610	1.36/3	99	0.2	1/4"	10	94	3.1	10000	Jumbo Hammer
RT19039	1/2"	16	500/678	1.42/3.12	108	0.2	1/4"	10	94	2.8	11000	Twin Hammer
RT19040	3/8"	16	450/610	1.42/3.12	108	0.2	1/4"	10	94	3.1	11000	Twin Hammer
RT19041	1/2"	16	450/610	1.37/3	103	0.2	1/4"	10	94	2.8	11000	Twin Hammer
RT19042	3/8"	16	400/542	1.37/3	103	0.2	1/4"	10	94	3.1	11000	Twin Hammer
RT19037S	1/2"	16	500/678	1.36/3	99	0.2	1/4"	10	94	2.8	10000	Twin Hammer

LIGHT WEIGHT AIR IMPACT WRENCH HIGH TORQUE



RT19043/RT19043L 2"



RT19045



RT19047/RT19047L 6"



RT19049

Item No.	Square Drive (inch)	Bolt Capacity (mm)	Max. Torque ft.lb(Nm)	Net Weight (Kg/LB)	LENGTH (mm)	Air Cons (m ³ /min)	Air Inlet (inch)	Hose Size (mm)	Sound Pressure (dBA)	Vibration (m/s ²)	Speed (RPM)	Mechanism
RT19043	1/2"	29	1000/1356	2.6/5.7	171	0.23	1/4"	10	87	4.5	7200	Twin Hammer
RT19043L	1/2"	29	1000/1356	2.7/5.94	222	0.23	1/4"	10	87	4.5	7200	Twin Hammer
RT19045	1/2"	23	1000/1356	1.8/3.89	141	0.2	1/4"	10	94	2.8	9000	Twin Hammer
RT19047	3/4"	32	1100/1491	2.64/5.8	177	0.23	1/4"	10	87	4.5	7200	Twin Hammer
RT19047L	3/4"	32	1100/1491	3.2/7	330	0.23	1/4"	10	87	4.5	7200	Twin Hammer
RT19049	1"	38	1800/2440	5.5/11.88	240	0.32	3/8"	10	97	6.1	4500	Twin Hammer

PNEUMATIC TOOLS - SUPER TYPE NEW IMPACT WRENCH

SUPER MINI LIGHT WEIGHT AIR IMPACT WRENCH HIGH TORQUE



RT19050

MINI LIGHT WEIGHT
700 FT.LB



RT19051

MINI
700 FT.LB



RT19052

MINI
750 FT.LB



3 DIFFERENT SPEED
ADJUSTMENT

Item No.	Square Drive (inch)	Bolt Capacity (mm)	Max. Torque ft.lb(Nm)	Net Weight (Kg/LB)	LENGTH (mm)	Air Cons (m ³ /min)	Air Inlet (inch)	Hose Size (mm)	Sound Pressure (dBA)	Vibration (m/s ²)	Speed (RPM)	Mechanism
RT19050	1/2"	16	700/949	1.37/3	104	0.21	1/4"	10	94	2.8	10000	Jumbo Hammer
RT19051	1/2"	16	700/949	1.45/3.19	104	0.21	1/4"	10	94	2.8	10000	Jumbo Hammer
RT19052	1/2"	16	750/1017	1.5/3.3	113	0.21	1/4"	10	85	2.8	8500	Twin Hammer

SUPER COMPOSITE AIR IMPACT WRENCH HIGH TORQUE



RT19301



RT19305

Vane with spring mounted to prevent dead-lock or power less problem.



Item No.	Square Drive (inch)	Working Torque ft.lb(Nm)	Max. Torque ft.lb(Nm)	Net Weight (Kg/LB)	LENGTH (mm)	Air Cons (m ³ /min)	Air Inlet (inch)	Hose Size (mm)	Sound Pressure (dBA)	Vibration (m/s ²)	Speed (RPM)	Mechanism
RT19301	1/2"	800/1080	950/1283	1.65/3.6	179	5.5	1/4"	10	91.5	8.1	8500	Twin Hammer
RT19305	3/4"	1250/1687	1550/2092	3.05/6.7	209	7	3/8"	10	96.5	8.6	6000	Twin Hammer

PNEUMATIC TOOLS - AIR RATCHET



RT19605

1/4"DR. SUPER MINI
● Rear Exhaust

RT19606

3/8"DR. SUPER MINI
● Rear Exhaust



RT19613

3/8"DR. MINI
● Rear Exhaust



RT19609

1/4"DR. SUPER MINI
● Captured Head

RT19610

3/8"DR. SUPER MINI
● Captured Head



RT19606

1/4"DR. MINI
● Captured Head

RT19608

3/8"DR. MINI
● Captured Head



DR. HIGH TORQUE MINI AIR RATCHET

RT19620 1/4"DR. Standard
RT19620CH 1/4"DR. Captured Head
RT19621 3/8"DR. Standard
RT19621CH 3/8"DR. Captured Head

DR. H.D. AIR RATCHET

RT19618 3/8"DR. Standard, Full Cage Gear
RT19618CH 3/8"DR. Captured Head
RT19619 1/2"DR. Standard Full Cage Gear
RT19619CH 1/2"Dr. Captured Head

Item No.	Torque ft.lb	Free Speed RPM	Air Inlet (inch)	Air Hose Size	Sound Pressure Level	Sound Power Level	Air Pressure PSIG	Average Air Con.(CFM)	Length	Weight Pound (KG)
RT19605	20	350	1/4"	3/8"	94 dB(A)	99 dB(A)	90PSI (6.2BAR)	4.5CFM (32SCFM)	5.12"(130mm)	0.99(0.45)
RT19606		350						-	5.23"(133mm)	1.1(0.5)
RT19609		300						2.38CFM(17SCFM)	6.30"(160mm)	1.39(0.63)
RT19610		300								
RT19613	35-40	550	1/4"	3/8"	88 dB(A)	99 dB(A)	90PSI (6.2BAR)	-	7.1"(180mm)	1.32(0.6)
RT19607	25	270								
RT19608		270								
RT19620	40	270								
RT19620CH										
RT19621										
RT19621CH										
RT19618	130	180	1/4"	3/8"	-	90PSI (6.2BAR)	4.5CFM (32SCFM)	12.45"(317mm)	3.39(1.54)	
RT19618CH										
RT19619										
RT19619CH										

RT19617

RT19619

EXTEND MINI RATCHET WITH GRIP (CLOSE CAPTURED HEAD)



RT196107

GEAR DRIVEN AIR SAW

Stroke Length:10 mm
Cutting Capacity:3.0 mm
Thickness Mild Steel



Item No.	Square Drive (inch)	Torque ft.lb(Nm)	Air Cons (CFM/SCFM)	Air Inlet (Inch)	Hose Size	Sound Pressure (dBA)	Vibration (m/s ²)	Speed (RPM)	Exhaust System
RT19617	3/8"	25/33	3.1/22	1/4"	5/16"	88	10.6	270	Rear
RT19619	1/4"	25/33	3.1/22	1/4"	5/16"	88	10.6	270	Rear
RT196107	-	-	4.0/2.8	1/4"	3/8"	88.5	-	7000BPM	-

PNEUMATIC TOOLS - AIR RATCHET WRENCH & AIR GRINDER

PROFESSIONAL AIR RATCHET WRENCH



RT19015/RT190151



RT19013/RT190131



RT19011/RT190111



RT19009/RT190091



RT19020K

PAINT REMOVE BRUSH TOOL SET

- Light with safety guard
- Auxiliary grip handle
- Use with gum or brush, safety throttle and rear exhaust.

PROFESSIONAL AIR GRINDER



RT19017/RT190171



RT19019

Item No.	Square Drive (inch)	Free Speed (RPM)	Max. Torque ft.lb(Nm)	Net Weight (Kg)	Length (mm)	Exhaust System	Sug. Air Pressure
RT19015	3/8"	300	22/30	0.46	125	Rear	90PSI
RT190151	1/4"	300	22/30	0.46	125	Rear	90PSI
RT19013	3/8"	230	37/50	0.5	165	Rear	90PSI
RT190131	1/4"	230	37/50	0.5	165	Rear	90PSI
RT19011	1/2"	160	74/100	1.2	277	Rear	90PSI
RT190111	3/8"	160	74/100	1.2	277	Rear	90PSI
RT19009	1/2"	200	89/120	1.83	327	Rear	90PSI
RT190091	3/8"	200	89/120	1.83	327	Rear	90PSI
RT19020K	5/16-24T	3600		1.2		Rear	90PSI
RT19017	1/4"(6mm)	30000		0.3	118	Rear	90PSI
RT190171	1/8"(3mm)	30000		0.3	118	Rear	90PSI
RT19019	Disc 2"	22000		0.42	108	Rear	90PSI

PNEUMATIC TOOLS - AIR SANDER

6" Random Orbital sander Self-Vacuum



RT191075

With dust bag & 2M hose
(adapter dia 1")
With 1pcs open key wrench

6" Random Orbital sander Central Vacuum



RT191077

Item No.	Pad Diameter inch(mm)	Orbital inch(mm)	Power HP/W	Speed (RPM)	Avg Air Cons. (CFM)	Vibration m/s2	Air Pressure	Air Inlet	Noise Level	Weight Kgs/Lbs
RT191075	6"/150mm(6 holes)	3/16"/5mm	0.29HP/209W	12,000	2.5 CFM	2m/s2	90PSIG/ 6.2BAR	1/4"BSP	86dBA	0.87Kg
RT191077	6"/150mm(6 holes)	3/16"/5mm	0.29HP/209W	12,000	2.5 CFM	2m/s2	90PSIG/ 6.2BAR	1/4"BSP	86dBA	0.87Kg

6" Random Orbital sander Self-Vacuum



RT191079

With dust bag & 2M hose
(adapter dia 1")
With 1pcs open key wrench

6" Random Orbital sander Central Vacuum



RT191081

Item No.	Pad Diameter inch(mm)	Orbital inch(mm)	Power HP/W	Speed (RPM)	Avg Air Cons. (CFM)	Vibration m/s2	Air Pressure	Air Inlet	Noise Level	Weight Kgs/Lbs
RT191079	6"/150mm(54 holes)	3/16"/5mm	0.29HP/209W	12,000	2.5 CFM	2m/s2	90PSIG/ 6.2BAR	1/4"BSP	86dBA	0.87Kg
RT191081	6"/150mm(54 holes)	3/16"/5mm	0.29HP/209W	12,000	2.5 CFM	2m/s2	90PSIG/ 6.2BAR	1/4"BSP	86dBA	0.87Kg

PNEUMATIC TOOLS - AIR SANDER & AIR BUFFER

NON-VACUUM AIR SANDER



* Aluminum housing with SILICOM rubber design is good for shock absorption. It is suitable for antirust oil and chemical solvents working places.

* Professional quality is with 2.5mm and 5mm sanding rash which can be very accurate and fine sanded.

* It features a 30mm sanding pad and is comfortable in the hand



Air Pressure Maintain Valve



3/16" **For General Sanding**
(5 mm) (BLACK Lever)
Dia. Orbit



3/32" **For Ultra-Fine Sanding**
(2.5 mm) (GRAY Lever)
Dia. Orbit



Item No.	Pad Diameter Inch(mm)	Orbital Inch(mm)	Power HP/W	Speed (RPM)	Avg Air Cons. (CFM)	Vibration m/s ²	Air Hose I.D. Size	Air Pressure	Weight Kgs/lbs
RT19105	1-1/2"(30)	3/16"(5)	0.29/209	7500	2.5	3	1/4"(6mm)	90PSI	0.6/1.32
RT19102	1-1/2"(30)	3/32"(2.5)	0.29/209	7500	2.5	3	1/4"(6mm)	90PSI	0.6/1.32

NON-VACUUM AIR BUFFER



It provides design and implement of any application.



9/16" **For Buffer**
(15 mm) (BLACK Lever)
Dia. Orbit

Item No.	Pad Diameter Inch(mm)	Orbital Inch(mm)	Power HP/W	Speed (RPM)	Avg Air Cons. (CFM)	Vibration m/s ²	Air Hose I.D. Size	Air Pressure	Weight Kgs/lbs
RT191072	2"(50)	1/4"(6mm)	0.29/209	12000	2.5	3	1/4"(6mm)	90PSI	0.81/1.78
RT191073	3"(75)	1/4"(6mm)	0.29/209	12000	2.5	2.5	1/4"(6mm)	90PSI	0.81/1.78
RT191074	4"(100)	1/4"(6mm)	0.29/209	12000	2.5	2.5	1/4"(6mm)	90PSI	0.81/1.78
RT191075	5"(125)	1/4"(6mm)	0.29/209	12000	2.5	3.5	1/4"(6mm)	90PSI	0.82/1.8

PNEUMATIC TOOLS- AIR SANDER

CENTRAL VACUUM AIR SANDER



For Most aggressive Sanding
(9 mm) (BLUE Lever)




For Most General Sanding
(6 mm) (BLACK Lever)



For General Sanding
(5 mm) (BLACK Lever)



3/32" For Ultra-Fine Sanding
(2.5 mm) (GRAY Lever)
Dia. Orbit



Dust Hose Adapter diameter



Item No.	Pad Diameter Inch(mm)	Orbital Inch(mm)	Power HP/W	Speed (RPM)	Avg Air Cons. (CFM)	Vibration m/s ²	Air Hose I.D. Size	Air Pressure	Weight Kgs/lbs
RT191022	5(125)	3/32"(2.5)	0.29/209	12000	2.5	3	1/4"(6mm)	90PSI	0.87/1.91
RT191025	5(125)	3/16"(5mm)	0.29/209	12000	2.5	2.5	1/4"(6mm)	90PSI	0.87/1.91
RT191026	5(125)	1/4"(6mm)	0.29/209	12000	2.5	2.5	1/4"(6mm)	90PSI	0.82/1.74
RT191029	5(125)	3/8"(9mm)	0.29/209	12000	2.5	3.5	1/4"(6mm)	90PSI	0.87/1.91
RT191032	6(150)	3/32"(2.5)	0.29/209	11000	2.5	3	1/4"(6mm)	90PSI	0.90/1.98
RT191035	6(150)	3/16"(5mm)	0.29/209	11000	2.5	2.8	1/4"(6mm)	90PSI	0.90/1.98
RT191036	6(150)	1/4"(6mm)	0.29/209	11000	2.5	2.8	1/4"(6mm)	90PSI	0.86/1.89
RT191039	6(150)	3/8"(9mm)	0.29/209	11000	2.5	5	1/4"(6mm)	90PSI	0.90/1.98



* This type is designed with swivel dust adapter and swivel exhaust.

* It is comfort grip design and with ergonomically lever for convenient operation.

Item No.	Pad Diameter Inch(mm)	Orbital Inch(mm)	Power HP/W	Speed (RPM)	Avg Air Cons. (CFM)	Vibration m/s ²	Air Hose I.D. Size	Air Pressure	Weight Kgs/lbs
RT191012	3" (75mm)	3/32"(2.5)	0.29/209	12000	2.5	3	1/4"(6mm)	90PSI	0.81/1.78
RT191015	3" (75mm)	3/16"(5mm)	0.29/209	12000	2.5	3	1/4"(6mm)	90PSI	0.81/1.78
RT191016	3" (75mm)	1/4"(6mm)	0.29/209	12000	2.5	3	1/4"(6mm)	90PSI	0.81/1.78

PNEUMATIC TOOLS - AIR HAMMER & AIR DUSTER

AIR HAMMER



**PROFESSIONAL HEAVY DUTY AIR HAMMER
WITH ONE TOUCH QUICK RELEASE COUPLER
SUPPLY WORKING IN SAFETY AND EFFICIENCY**



Item No.	Free Speed	Shank Opening	Stroke	Air Inlet (inch)	Recommended Air Pressure	Average Air Consumption	Length
RT19223	2,500RPM	0.401"	3-7/8"(98mm)	1/4"	90 PSI(6.2Bar)	18 SCFM	269mm

AIR DUSTER



RT-19501

2 WAY AIR DUSTER(Short and 112mm long nozzle)

- Flow control knob to adjust air speed.
- Interchangeable short nozzle and 4 -1/2" long nozzle options.
- Nozzles can be used in standard pistol grip mode as well as from the top of the gun for access into tight spots
- Ergonomic grip , lightweight.
- Air hose : ID 3/8" X 3M
- 1CFM = 28.3168 L/Min
- Working pressure 90PSI



RT-19503

**2 WAY AIR DUSTER
(Short nozzle w/regulate & 112 mm long nozzle)**

- Air Inlet: M12*1.0



RT-19505

3 IN 1 TIRE INFLATOR W / GAUGE

- Application : For automotive, farm, bicycle, motorcycle & other inflatables.
- Aluminum body with plastics grip for comfortable to operating.
- 3 In 1 inflate, measure & deflate control valve for easy to operating.
- Clip type charging connector for tire gauge to operating long life.
- 360 swivel hose
- Air Inlet: M12*1.0



PNEUMATIC | EXTREME STUBBY TOOLS :::: | IMPACT SOCKET

STUBBY IMPACT SOCKET SET

RA16080

13PCS 1/4" & 3/8"DR. STUBBY IMPACT STAR SOCKET SET W/HEX SHANK

Content: 5pcs 1/4"Dr. E4,5,6,7,8 x 21mm(L)
8pcs 3/8"Dr. E10,12,14,16 x 27mm(L),
E18,20,22,24 x 28mm(L)



RA16083

10PCS 3/8"DR. STUBBY IMPACT SOCKET SET W/HEX SHANK


Content: 6pt 1/4, 9/32, 5/16, 3/8, 7/16, 1/2, 9/16,
5/8, 11/16, 3/4" x 22.5mm(L)



RA16087

14PCS 3/8"DR. STUBBY IMPACT SOCKET SET W/HEX SHANK

Content: 6pt 6,7,8,9,10,11,12,13,
14,15,16,17,18,19mm x 22.5mm(L)



RA16082

13PCS 1/4"DR. STUBBY IMPACT SOCKET SET W/HEX SHANK

Content: 6pt 4,5,5.5,5.6,7,8,9,10,11,12,13,14,15 x 18.5mm(L)



RA16085

11PCS 1/2"DR. STUBBY IMPACT SOCKET SET W/HEX SHANK

Content: 6pt 3/8,7/16,1/2,9/16,5/8,11/16,
3/4,13/16,7/8,15/16,1" x 28mm(L)



RA16089

15PCS 1/2"DR. STUBBY IMPACT SOCKET SET W/HEX SHANK

Content: 6pt 10,11,12,13,14,15,16,17,18,
19,20,21,22,23,24mm x 28mm(L)



PNEUMATIC | EXTREME STUBBY TOOLS :::: | IMPACT BIT SOCKET

STUBBY IMPACT BIT SOCKET SET

RA16073

9PCS 1/4" & 3/8"DR. HEX STUBBY BIT SOCKET SET (MM)

Content: 4pcs 1/4"Dr. 6,7,8,10mm x 19.5mm(L)
5pcs 3/8"Dr. 12,14,17,18,19mm x 29.5mm(L)



RA16077

10PCS 1/4" & 3/8"DR. TAMPERPROOF STAR STUBBY BIT SOCKET SET

Content: 6pcs 1/4"Dr. TH10,15,20,25,27,30 x 19.5mm(L)
4pcs 3/8"Dr. TH40,45,47,50 x 29.5mm(L)




RA16081

10PCS 1/4" & 3/8"DR. STAR STUBBY BIT SOCKET SET


Content: 6pcs 1/4"Dr. T10,15,20,25,27,30 x 19.5mm(L)
4pcs 3/8"Dr. T40,45,47,50 x 29.5mm(L)



SUPER SHORT



STANDARD LENGTH



RA16075

9PCS 1/4" & 3/8"DR. HEX STUBBY BIT SOCKET SET (SAE)

Content: 3pcs 1/4"Dr. 1/4, 5/16, 3/8" x 19.5mm(L)
6pcs 3/8"Dr. 7/16, 1/2, 9/16, 5/8, 11/16, 3/4" x 29.5mm(L)



RA16079

9PCS 1/4" , 3/8" & 1/2"DR. TRIPLE SQUARE STUBBY BIT SOCKET SET

Content: 4pcs 1/4"Dr. Triple Square M4,5,6,8 x 19.5mm(L)
2pcs 3/8"Dr. Triple Square M10,12 x 29.5mm(L)
1pcs 3/8"Dr. Tamperproof Triple Square MT14 x 29.5mm(L)
2pcs 1/2"Dr. Tamperproof Triple Square MT16,18 x 38.1mm(L)



5PCS TWIST EXTRACTOR SET, 1/4" HEX DRIVE SHANK

- Removes worn, rusty, or deformed fasteners with a 1/4" drive shank
- For removal only. Do not use twist sockets to install new nuts
- CR-MO Steel, work with ratchet or electric drill

Work with rusty, worn, or deformed fasteners



RA16119

Content: 8mm, 9mm, 10mm, 11mm, and 12mm x 65mm(L)

RA16121

Content: 1/4", 5/16", 3/8", 7/16", and 1/2" x 65mm(L)



SOCKET WRENCH SET HAND TOOLS



RT18147



RT18149

Excellence Design Double Color ABS Box

- Four corners covered black soft TPR
- EVA foam tray inside
- Press clip design to close the box ▲ quick and tight
- Box Size:185x110x40mm ▲
- Slide lock design to hold the box tightly ▶
- Box Size:155x110x40mm ▶



RT18157



RT18159

Made in Taiwan

Redtex

REDTEX INDUSTRIAL CO., LTD.

6F.-3, NO.100, Sec. 2, Songzhu 5th Rd, Beitun Dist., Taichung City 406, Taiwan.

Tel :+886-4-24371086 Fax:+886-4-24373820 E-mail:redtex.ind@msa.hinet.net

Official Website:www.redtex.com.tw

HAND TOOLS | SOCKET WRENCH SET ::::

- Excellence design double color ABS Box.
- Four corners covered black soft TPR.
- EVA foam tray inside.
- Slide lock design to hold the box tightly.
- Box Size:155x110x40mm.

RT18165

25PCS 1/4"DR. X1/4"H 72T DOUBLE FLEX HEAD SUPER LOCK SOCKET WRENCH AND BIT SET

- 1pc - 1/4"DR. X1/4"H 72T DOUBLE FLEX HEAD RATCHET HANDLE
- 12pcs - 1/4"DR. SUPER LOCK SOCKET: 4,4.5,5,5.5,6,7,8,9,10,11,12,13mm
- 1pc - 1/4"DR. EXTENSIONBAR 50mm
- 1pc - 60mm QUICK CHUCK BIT HOLDER
- 10pcs - 25mm BIT - (S2)
 - 3 - PH1,PH2,PH3
 - 3 - SL4,SL5.5,SL7
 - 4 - H3,H4,H5,H6



RT18157

30PCS 1/4"DR. 60T SUPER SHORT SOCKET AND BIT SET

- 1pc - 1/4"DR. 60T STUBBY REVERSIBLE RATCHET HANDLE
- 10pcs - 1/4"DR. X 17mm 12PT SHORT SOCKET: 4,5,6,7,8,9,10,11,12,13mm
- 1pc - 1/4"DR. EXTENSIONBAR 50mm
- 1pc - 1/4"DR. UNIVERSAL JOINT
- 1pc - 1/4"DR. X 1/4" HEX BIT ADAPTOR
- 16pcs - 25mm BIT-(S2)
 - 3 - PH1,PH2,PH3
 - 3 - SL4,SL5.5,SL7
 - 3 - H4,H5,H6
 - 7 - T10,T15,T20,T25,T27,T30,T40



RT18163

31PCS 1/4"DR. X1/4"H 72T DOUBLE HEAD SPLINE SOCKET WRENCH AND BIT SET

- 1pc - 1/4"DR. X 1/4"H 72T DOUBLE HEAD STUBBY RATCHET HANDLE
- 12pcs - 1/4"DR. SPLINE SOCKET: 4,4.5,5,5.5,6,7,8,9,10,11,12,13mm
- 1pc - 1/4"DR. EXTENSIONBAR 50mm
- 1pc - 1/4"DR. UNIVERSAL JOINT
- 16pcs - 25mm BIT - (S2)
 - 3 - PH1,PH2,PH3
 - 3 - SL4,SL5,SL6
 - 3 - H4,H5,H6
 - 7 - T10,T15,T20,T25,T27,T30,T40



RT18159

26PCS 1/4"DR. X1/4"H 90T DOUBLE HEAD SPLINE SOCKET WRENCH AND BIT SET

- 1pc - 1/4"DR. 90T DOUBLE HEAD STUBBY REVERSIBLE RATCHET HANDLE
- 10pcs - 1/4"DR. SPLINE SOCKET: 4,5,6,7,8,9,10,11,12,13mm
- 1pc - 1/4"DR. EXTENSIONBAR 75mm
- 1pc - 1/4"DR. UNIVERSAL JOINT
- 1pc - 60mm STAINLESS BIT HOLDER
- 12pcs - 25mm BIT-(S2)
 - 3-PH1,PH2,PH3
 - 3-H4,H5,H6
 - 6-T10,T15,T20,T25,T30,T40



RT18167

31PCS 1/4"DR. 72T SOCKET WRENCH AND BIT SET

- 1pc - 1/4"DR. 72T STUBBY RATCHET HANDLE
- 4pcs - 1/4"DR. SOCKET: 8,10,12,13mm
- 4pcs - 1/4"DR. SOCKET: 5/16",3/8",7/16",1/2"
- 1pc - 1/4"DR. EXTENSIONBAR 50 mm
- 1pc - 1/4"DR. X 1/4" HEX BIT ADAPTOR
- 20pcs - 25mm BIT - (S2)
 - 3 - PH1,PH2,PH3
 - 3 - PZ1,PZ2,PZ3
 - 3 - SL4,SL5.5,SL7
 - 4 - H3,H4,H5,H6
 - 7 - T10,T15,T20,T25,T27,T30,T40



RT18161

31PCS 1/4"DR. X1/4"H 72T DOUBLE FLEX HEAD SUPER LOCK SOCKET WRENCH AND BIT SET

- 1pc - 1/4"DR. X1/4"H 72T DOUBLE FLEX HEAD RATCHET HANDLE
- 10pcs - 1/4"DR. SUPER LOCK SOCKET: 4,5,6,7,8,9,10,11,12,13mm
- 1pc - 1/4"DR. EXTENSIONBAR 50mm
- 1pc - 60mm QUICK CHUCK BIT HOLDER
- 18pcs - 25mm BIT - (S2)
 - 3 - PH1,PH2,PH3
 - 3 - PZ1,PZ2,PZ3
 - 3 - SL4,SL5.5,SL7
 - 3 - H4,H5,H6
 - 6 - T10,T15,T20,T25,T30,T40



RT18169

37PCS 1/4"DR. 72T STUBBY BIT DRIVER SET

- 1pc - 1/4"DR. 72T STUBBY BIT DRIVER
- 1pc - 60mm STAINLESS BIT HOLDER
- 1pc - 65mm QUICK CHUCK BIT HOLDER
- 34pcs - 25mm BIT - (S2)
 - 5 - PH0,PH1,PH2X2,PH3
 - 5 - PZ0,PZ1,PZ2X2,PZ3
 - 5 - SL3,SL4,SL5,SL6,SL7
 - 5 - H3,H4,H5,H6,H7
 - 7 - T10,T15,T20,T25,T27,T30,T40
 - 7 - T10H,T15H,T20H,T25H,T27H,T30H,T40H

HAND TOOLS | SOCKET WRENCH SET ::::

- Excellence design double color ABS Box.
- Four corners covered black soft TPR.
- EVA foam tray inside.
- Press clip design to close the box quick and tight.
- Box Size:185x110x40mm.



RT18147

18PCS 1/4"DR. 72T SUPER LOCK SOCKET WRENCH SET

- 1pc - 1/4"DR. 72T SHIELD ONE - HAND REVERSIBLE RATCHET HANDLE
- 13pcs - 1/4"DR. SUPER LOCK SOCKET:
4,4.5,5,5.5,6,7,8,9,10,11,12,13,14 mm
- 2pcs - 1/4"DR. EXTENSIONBAR 50 mm & 75 mm
- 1pc - 1/4"DR. UNIVERSAL JOINT
- 1pc - 1/4"DR. SLIDING T BAR



RT18149

17PCS 1/4"DR. 90T SPLINE SOCKET WRENCH SET

- 1pc - 1/4"DR. 90T SLIM REVERSIBLE RATCHET HANDLE
- 13pcs - 1/4"DR. SPLINE SOCKET:
4,4.5,5,5.5,6,7,8,9,10,11,12,13,14 mm
- 1pc - 1/4"DR. EXTENSIONBAR 100 mm
- 1pc - 1/4"DR. UNIVERSAL JOINT
- 1pc - 1/4"DR. FLEXIBLE HANDLE



RT18151

38PCS 1/4"DR. 120T SPLINE SOCKET WRENCH AND BIT SET

- 1pc - 1/4"DR. 120T LEVER TYPE REVERSIBLE RATCHET HANDLE
- 13pcs - 1/4"DR. SPLINE SOCKET:
4,4.5,5,5.5,6,7,8,9,10,11,12,13,14 mm
- 1pc - 1/4"DR. EXTENSIONBAR 50 mm
- 1pc - 1/4"DR. UNIVERSAL JOINT
- 1pc - 60mm STAINLESS BIT HOLDER
- 1pc - 1/4"DR. X 1/4" HEX BIT ADAPTOR
- 20pcs - 25mm BIT - (S2)
 - 3 - PH1,PH2,PH3
 - 3 - PZ1,PZ2,PZ3
 - 4 - SL3,SL4,SL5,5,SL7
 - 4 - H3,H4,H5,H6
 - 6 - T10,T15,T20,T25,T30,T40



RT18153

27PCS 1/4"DR. 72T SPLINE SOCKET WRENCH AND BIT SET

- 1pc - 1/4"DR. 72T SHIELD ONE-HAND REVERSIBLE RATCHET HANDLE
- 13pcs - 1/4"DR. SPLINE SOCKET:
4,4.5,5,5.5,6,7,8,9,10,11,12,13,14 mm
- 2pcs - 1/4"DR. EXTENSIONBAR 50 mm & 100 mm
- 1pc - 1/4"DR. UNIVERSAL JOINT
- 1pc - 1/4"DR. X 1/4" HEX BIT ADAPTOR
- 9pcs - 25mm BIT - (S2)
 - 3 - PH1,PH2,PH3
 - 3 - SL4,SL5,5,SL7
 - 3 - H4,H5,H6



RT18155

32PCS 1/4"DR. 90T SUPER LOCK SOCKET WRENCH AND BIT SET

- 1pc - 1/4"DR. 90T SLIM REVERSIBLE RATCHET HANDLE
- 12pcs - 1/4"DR. SUPER LOCK SOCKET:
4,4.5,5,5.5,6,7,8,9,10,11,12,13 mm
- 2pcs - 1/4"DR. EXTENSIONBAR 50 mm & 100 mm
- 1pc - 1/4"DR. UNIVERSAL JOINT
- 1pc - 1/4"DR. X 1/4" HEX BIT ADAPTOR
- 15pcs - 25mm BIT - (S2)
 - 3 - PH1,PH2,PH3
 - 3 - SL4,SL5,SL6
 - 3 - H4,H5,H6
 - 6 - T10,T15,T20,T25,T30,T40

HAND TOOLS - SOCKET WRENCH SET

Excellence Design Blow Case

- With strong Zinc material clip
- Front side with logo and content drawing



RT-T4280SE

80PCS 1/4" & 1/2" DR. SOCKET & BIT SET

1/4"DR.

- 11-SOCKETS 4-5-6-7-8-9-10-11-12-13-14mm
- 1-UNIVERSAL JOINT
- 2-EXTENSION BARS 50mm & 100mm
- 1-SPINNER HANDLE
- 1-COUPLER 1/4"DR. x 1/4"HEX
- 1-QUICK RELEASE BIT HOLDER
- 1-BIT ADAPTOR
- 30-BIT SET (+) 1-2-2-3 (-) 3-4-5-6 (*) 1-2-2-3 (H) 3-4-5-6 (T) 10-15-20-25-27-30-40 (T) 10-15-20-25-27-30-40 W/TAMPER PROOF
- 1-LEVER TYPE RATCHET HANDLE W/24 TEETH GEAR

1/2"DR.

- 15-SOCKETS 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22mm
- 1-UNIVERSAL JOINT
- 2-EXTENSION BARS 125mm & 250mm
- 1-LEVER TYPE RATCHET HANDLE W/24 TEETH GEAR
- 6-COMBINATION WRENCHES 11-12-13-14-17-19mm
- 1-LINESMAN PLIER 180mm
- 1-LONG NOSE PLIER 160mm
- 4-SCREWDRIVERS (-) 6.5 x 38mmL , 6.5 x 100mmL (+) #2 x 38mmL , #2 x 100mmL

RT-S432192SE

192PCS 1/4" & 3/8" & 1/2" SOCKET SET

1/4"DR.

- 13-SOCKETS 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm
- 7-DEEP SOCKETS 4-5-6-7-8-9-10 mm
- 5-STAR SOCKETS E4 - E5 - E6 - E7 - E8
- 1-COUPLER 1/4"DR. x 1/4"HEX
- 40-BITS 25mmL
- 30-BIT SOCKETS 37mmL (+) 0-1-2 (-) 4-5.5-6.5-7 (*) 0-1-2 (H) 3-4-5-6 (T) 8-9-10-15-20-25-27-30 (TH) 8-9-10-15-20-25-27-30
- 1-LEVER TYPE RATHCHET HANDLE W/72 TEETH GEAR
- 1-UNIVERSAL JOINT
- 2-EXTENSION BARS 50mm & 100mm
- 1-SPINNER HANDLE
- 1-SLIDING T BAR

3/8"DR.

- 10-SOCKETS 10-11-12-13-14-15-16-17-18-19 mm
- 6-DEEP SOCKETS 10-11-12-13-14-15 mm
- 6-STAR SOCKETS E10 - E11 - E12 - E14 - E16 - E18
- 1-LEVER TYPE RATHCHET HANDLE W/72 TEETH GEAR
- 1-UNIVERSAL JOINT
- 1-EXTENSION BAR 125mm
- 1-COUPLER 3/8"DR. x 8mm
- 1-SPARK PLUG SOCKET 18 mm

1/2"DR.

- 17-SOCKETS 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32mm
- 5-DEEP SOCKETS 16-17-18-19-22mm
- 2-STAR SOCKETS E20 - E24
- 2-SPARK PLUG SOCKETS 16mm & 21mm
- 1-LEVER TYPE RATHCHET HANDLE W/72 TEETH GEAR
- 24-BITS 8mmx30mmL (+) 3-4 (-) 8-10-12 (*) 3-4 (H) 7-8-10-12-14 (T) 40-45-50-55-60-70 (TH) 40-45-50-55-60-70
- 1-UNIVERSAL JOINT
- 2-EXTENSION BARS 125mm & 250mm
- 1-SLIDING T HEAD 3/8"(F) x 1/2"(M)
- 1-COUPLER 1/2"DR. x 8mm
- 7-HEX KEY WRENCHES 1-1.5-2-2.5-3-4-5 mm



HAND TOOLS - SOCKET WRENCH SET

Excellence Design Blow Case

- With strong Zinc material clip
- Front side with logo and content drawing



RT-S425SE

25PCS 1/2" DR. SOCKET SET

1/2"DR.

- 18-SOCKETS 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32mm
- 2- SPARK PLUG SOCKET 16mm & 21mm
- 1-UNIVERSAL JOINT
- 2-EXTENSION BARS 125mm & 250mm
- 1-SLIDING T HEAD 3/8"(F) x 1/4"(M)
- 1-LEVER TYPE RATCHET HANDLE W/72 TEETH GEAR



RT-S329ESE

29PCS 3/8" DR. SOCKET SET

3/8"DR.

- 18-SOCKETS 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24mm
- 8- DEEP SOCKET 7-8-10-11-12-13-17-19mm
- 2-EXTENSION BARS 75mm & 150mm
- 1-LEVER TYPE RATCHET HANDLE W/72 TEETH GEAR

RT-S245SE

45PCS 1/4" DR. SOCKET & BIT SET

1/4"DR.

- 13-SOCKETS 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm
- 5-DEEP SOCKETS 8-10-11-12-13
- 1-UNIVERSAL JOINT
- 3-EXTENSION BARS 50mm & 100mm & 150mm
- 1-SLIDING T HEAD 3/8"(F) x 1/4"(M)
- 1-COUPLER 1/4" x 1/4" (H)
- 1-SPINNER HANDLE
- 16-BITS (+) 1-2-3 (H) 3-4-5-6-7-8 (T) 10-15-20-25-27-30-40
- 3- HEX KEY (H) 1.5-2-2.5
- 1-LEVER TYPE RATCHET HANDLE W/72 TEETH GEAR



RT-S243CP

43PCS 1/4" DR. SOCKET & BIT SOCKET SET

1/4"DR.

- 13-SOCKETS 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm
- 1-UNIVERSAL JOINT
- 3-EXTENSION BARS 50mm & 100mm & 150mm
- 1-SLIDING T HEAD 3/8"(F) x 1/4"(M)
- 1-SPINNER HANDLE
- 19-BIT SOCKETS (+) 1-2-3 (*) 1-2-3 (-) 4-5.5-7 (H) 4-5-6 (T) 8-10-15-20-25-30-40
- 1-LEVER TYPE RATCHET HANDLE W/72 TEETH GEAR



GENERAL WORKSHOP EQUIPMENT - TOOLS BOX ASSORTMENT

RT-HB42131

METAL TOOL BOX WITH ASSORTMENT 131PCS

PLASTIC TRAY 1 (68PCS)

1/4"DR.

- 12-SOCKETS 4-4.5-5-5.5-6-7-8-9-10-11-12-13mm
- 1-UNIVERSAL JOINT
- 2-EXTENSION BARS 50mm & 100mm
- 1-SPINNER HANDLE
- 1-COUPLER 1/4"DR. x 1/4"HEX
- 1-QUICKER RELEASE BIT HOLDER
- 40-BITS
- 1-LEVER TYPE RATCHET HANDLE W/72 TEETH GEAR
- 9-COMBINATION WRENCHES 8-10-11-12-13-14-17-19-22mm

PLASTIC TRAY 2 (23PCS)

- 18-SOCKETS 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32mm
- 2-EXTENSION BARS 125mm & 250mm
- 1-UNIVERSAL JOINT
- 1-LEVER TYPE RATCHET HANDLE W/72 TEETH GEAR
- 1-SLIDING T HEAD 3/8"(F) x 1/2"(M)

PLASTIC TRAY 3 (13PCS)

- 1-WATER PUMP PLIER 250mm
- 1-DIAGONAL PLIER 160mm
- 1-LINESMAN PLIER 180mm
- 1-LONG NOSE PLIER 160mm
- 9-L TYPE HEX KEY WRENCHES (H) 1.5-2-2.5-3-4-5-6-8-10

PLASTIC TRAY 4 (24PCS)

- 6-SCREWDRIVERS (-) 4.0 x 100mmL, 1.0 x 5.5 x 125mmL, 1.2 x 6.5 x 150mmL
(+) #1 x 75mmL, #2 x 100mmL (*) #1 x 75mmL
- 1-COUPLER 1/2"DR. x 8mmHEX
- 17-BITS 8mm x 30mmL (+) 3-4 (-) 8-10-12 (H) 6-8-10-12-14 (*) 3-4 (T) 40-45-50-55-60

SECTION 5

- 1-HACK SAW 12
- 1-HAMMER 300gm
- 1-ADJUSTABLE WRENCH 250mm



RT-HB359-S

METAL TOOL BOX WITH ASSORTMENT 59PCS

PLASTIC TRAY 1 (21PCS)

3/8"DR.

- 10-SOCKETS 8-10-12-13-14-15-16-17-18-19mm
- 5-DEEP SOCKETS 8-10-12-13-14mm
- 1-UNIVERSAL JOINT
- 2-EXTENSION BARS 75mm & 150mm
- 1-COUPLER 3/8"(F) x 1/4"HEX
- 1-LEVER TYPE RATCHET HANDLE W/72 TEETH GEAR
- 1-FLEX HANDLE

PLASTIC TRAY 2 (30PCS)

- 1-SPIN RATCHET 72 TEETH GEAR
- 1-BIT ADAPTOR 1/4" x 25mmL
- 19-BITS 25mmL (+) 1-2-3 (-) 4.5-6.5-8 (H) 3-4-5-6-7-8 (T) 10-15-20-25-27-30-40 W/TAMPER PROOF
- 9-COMBINATION WRENCHES 8-10-12-13-14-16-17-18-19mm

PLASTIC TRAY 3 (8PCS)

- 1-WATER PUMP PLIER 250mmL
- 1-LONG NOSE PLIER 160mm
- 1-DIAGONAL PLIER 160mm
- 1-BIT HOLDER DRIVER HANDLE
- 4-SCREWDRIVERS (+) #1 x 75mmL, #2 x 100mmL (-) 5.5 x 75mmL, 6.5 x 100mmL

GENERAL WORKSHOP EQUIPMENT - TOOLS BOX ASSORTMENT

RT-MT4294

TOOL CABINET WITH 2 DRAWERS ASSORTMENT 94PCS

PLASTIC TRAY 1

1/4"DR.

- 10-SOCKETS 5-5.5-6-7-8-9-10-11-12-13mm
- 1-UNIVERSAL JOINT
- 1-ADAPTOR 1/4"(M) X 3/8"(F)
- 1-BIT ADAPTER
- 19-BITS (+) 1-2-3 (-) 4.5-6.5-8 (H) 3-4-5-6-7-8 (T) 10-15-20-25-27-30-40 (TAMPER PROOF)
- 1-LEVER TYPE RATCHET HANDLE W/48 TEETH GEAR W/BI-MATERIAL GRIP
- 1-EXTENSION BAR 75mm
- 1-SPINNER HANDLE
- 1-COUPLER

1/2"DR.

- 13-SOCKETS 10-12-13-14-15-17-19-21-22-24-27-30-32mm
- 1-UNIVERSAL JOINT
- 1-ADAPTOR 1/2"(M) X 3/8"(F)
- 2-EXTENSION BARS 125mm & 250mm
- 1-LEVER TYPE RATCHET HANDLE W/48 TEETH GEAR W/BI-MATERIAL GRIP
- 11-COMBINATION WRENCHES 8-9-10-11-12-13-14-15-17-19-21mm

PLASTIC TRAY 2

- 8-SCREWDRIVERS (-) 3x75mm, 5x100mm, 6x100mm, 8x150mm
(+) #0x75mm, #1x100mm, #2x100mm, #3x150mm
- 1-ADJUSTABLE WRENCH 250mm
- 1-UTILITY KNIFE W/3 BLADES
- 9-L TYPE BALL HEX KEY WRENCHES (H) 1.5-2-2.5-3-4-5-6-8-10

PLASTIC TRAY 3

- 1-WATER PUMP PLIER 250mm
- 1-LONG NOSE PLIER 160mm
- 1-DIAGONAL PLIER 180mm (HEAVY DUTY)
- 1-LINESMAN PLIER 180mm
- 5-PUNCH & CHISEL SET
- 1-HAMMER 300gm



RT-T4283WP

PLASTIC TOOL BOX WITH ASSORTMENT 83PCS

PLASTIC TRAY 1 (60PCS)

1/4"DR.

- 10-SOCKETS 5-5.5-6-7-8-9-10-11-12-13mm
- 1-UNIVERSAL JOINT
- 1-EXTENSION BAR 75mm
- 1-SLIDING T BAR
- 1-COUPLER 1/4"DR. x 1/4"HEX
- 17-BITS
- 1-LEVER TYPE RATCHET HANDLE W/48 TEETH GEAR
- 1-T BAR DRIVER
- 1-FLEXIBLE EXTENSION BAR
- 1-BIT ADAPTER

1/2"DR.

- 18-SOCKETS 8-9-10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32mm
- 2-SPARK PLUG SOCKETS 16mm & 21mm
- 1-UNIVERSAL JOINT
- 2-EXTENSION BARS 125mm & 250mm
- 1-SLIDING T BAR
- 1-LEVER TYPE RATCHET HANDLE W/48 TEETH GEAR

PLASTIC TRAY 2 (23PCS)

- 10-COMBINATION WRENCHES 8-10-11-12-13-14-15-16-17-19mm
- 10-SCREWDRIVERS (-) 6.5x38mm, 3x80mm, 5.5x75mm, 6.5x100mm, 8x150mm
(+) #2x38mm, #0x75mm, #1x75mm, #2x100mm, #3x150mm
- 1-WATER PUMP PLIER 250mm
- 1-LISEMAN PLIER 180mm
- 1-KNIFE

HAND TOOLS - SOCKET WRENCH SET

WITH 48T RATCHET HANDLE IN METAL CASE

RT-MS429

29PCS 1/2"DR. SOCKET SET

- 18-Sockets 10-11-12-13-14-15-16-17-18-19-21-22-23-24-27-30-32-36mm
- 4-Deep Sockets 10-13-17-19mm
- 2-Spark plug sockets 16mm & 21mm
- 1-Universal joint
- 2-Extension bar 125mm & 250mm
- 1-Sliding T head 3/8"(F) x 1/4"(M)
- 1-Lever type ratchet handle w/48 teeth gear



RT-MS4255

55PC 1/4" & 1/2"DR. SOCKET SET

1/4"DR.

- 12-Sockets 4-5-5.5-6-6.5-7-8-9-10-11-12-13mm
- 1-Universal joint
- 2-Extension bars 50mm & 150mm
- 1-Sliding T head 3/8"(F) x 1/4"(M)
- 1-Spinner handle
- 12-Bit sockets (+) 1-2 (-) 4-7 (H) 3-4-5-6 (T) 20-25-27-30
- 1-Lever type ratchet handle w/48 teeth gear

1/2"DR.

- 13-Sockets 10-11-12-13-14-15-17-19-22-24-27-30-32mm
- 2-Spark plug sockets 16mm & 21mm
- 1-Universal joint
- 2-Extension bars 75mm & 250mm
- 1-Sliding T head 3/8"(F) x 1/2"(M)
- 1-Lever type ratchet handle w/48 teeth gear
- 5-Hex key wrenches 1.25-1.5-2-2.5-3mm



RT-MS338

38PCS 3/8"DR. SOCKET SET

- 18-Sockets 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24mm
- 14-Deep sockets 6-7-8-9-10-11-12-13-14-15-16-17-18-19mm
- 1-Universal joint
- 3-Extension bars 43mm & 100mm & 200mm
- 1-Sliding T head 1/2"(F) x 3/8"(M)
- 1-Lever type ratchet handle w/48 teeth gear



RT-MS246

46PCS 1/4"DR. SOCKET SET

- 13-Sockets 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm
- 9-Deep Sockets 6-7-8-9-10-11-12-13-14mm
- 1-Universal joint
- 2-Extension bars 75mm & 150mm
- 1-Sliding T bar
- 1-Spinner handle
- 18-Bit sockets (+) 1-2-3 (-) 5.5 (*) 1-2 (H) 3-4-5-6-7-8 (T) 10-15-20-25-30-40
- 1-Lever type ratchet handle W/48 teeth gear



STUBBY SOCKET SET

EXTRA SHORT AND THIN SOCKET DESIGNED FOR MODERN VEHICLE

RA16091

10PCS 3/8"DR. LOW PROFILE SOCKET SET

Content: 6pt 8x17mm, 9x17.2mm, 10x17.5mm, 11x17.8mm, 12x18.2mm, 13x18.8mm, 14x18.8mm, 15x19.2mm, 16x19.8mm, 17x20.3mm(L)



RA16093

11PCS 1/4"DR. LOW PROFILE SOCKET SET

Content: 12pt 5,5.5,6,7 x 18mm(L)
8,9,10,11,12 x 18.5mm(L)
13 x 19mm(L), 14 x 20mm(L)



HAND TOOLS - SOCKET WRENCH SET

WITH 48T & 24T RATCHET HANDLE
IN METAL CASE

RT-MSD419

19PCS 1/2"DR. DEEP SOCKET SET

- 16 - Deep Sockets 10-32mm
- 1 - Universal Joint
- 1 - Extension Bar 125mm
- 1 - Lever Type Ratchet Handle W/48T



RT-MS423

23PCS 1/2"DR. SOCKET WRENCH SET

- 18 - Sockets 10-36mm
- 2 - Extension Bar 125 & 250mm
- 1 - Universal Joint
- 1 - Lever Type Ratchet Handle
- 1 - Flexible Handle



RT-MS323

23PCS 3/8"DR. SOCKET WRENCH SET

- 16 - Sockets 8-24mm
- 2 - Spark Plug Socket 16 & 21mm
- 2 - Extension Bar 75 & 150mm
- 1 - Universal Joint
- 1 - Lever Type Ratchet Handle
- 1 - Sliding T-Bar



RT-MS246-1

46PCS 1/4"DR. SOCKET WRENCH SET

- 13 - Sockets 4-14mm
- 5 - Deep Socket 6, 8, 10, 12, 13mm
- 2 - Extension Bar 75 & 150mm
- 1 - Sliding T-Head 3/8" (F) x 1x4" (M)
- 1 - Spinner Handle, 21 Pcs Bits
- 1 - Lever Type Ratchet Handle
- 1 - Universal Joint, 1 Pcs Coupler



RT-C8HSK-14PCS

14PCS SOCKET WRENCH SET 1"DR.

- 1 - 1"DR. Oval Head Ratchet Handle 650mm
- 2 - 1"DR. Extension Bar 200 & 400mm
- 1 - 1" T-Handle 550mm
- 10 - 1"DR. 6PT Socket: 36, 41, 46, 50, 55, 60, 65, 70, 75, 80mm



RT-C6HSK-16PCS

16PCS SOCKET WRENCH SET 3/4"DR.


- 1 - 3/4"DR. Oval Head Ratchet Handle 500mm
- 2 - 3/4"DR. Extension Bar 200 & 400mm
- 1 - 3/4" T-Bar 500mm
- 12 - 3/4"DR. 6PT Socket: 17, 19, 21, 22, 24, 27, 30, 32, 36, 41, 46, 50mm



HAND TOOLS - SOCKET WRENCH SET

Excellence Design Double Color Plastic Box

- Four sides covered black soft TPR
- Press clip design to close the box quick and tight
- EVA foam tray



- Anti-slip socket with serrated teeth inside to solve 85% rounded bolt problem



RT-18135

18PCS 1/4" DR. SOCKET SET

- 13PCS - 1/4"DR. ANTI-SLIP SOCKET 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
- 2 PCS - 1/4"DR. EXTENSION BAR 50, 75mm
- 1 PCS - 1/4"DR. SLIDING T-BAR
- 1 PCS - 1/4"DR. UNIVERSAL JOINT
- 1 PCS - 1/4"DR. 24T RATCHET HANDLE



RT-18137

30PCS 1/4" DR. SOCKET & BIT SET

- 13 PCS - 1/4"DR. ANTI-SLIP SOCKET 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
- 2 PCS - 1/4"DR. EXTENSION BAR 50, 100mm
- 1 PCS - 1/4"DR. UNIVERSAL JOINT
- 1 PCS - 1/4"DR. 72T RATCHET HANDLE
- 1 PCS - 1/4"DR. x 1/4" HEX ADAPTER
- 12 PCS - S2 BIT PH1,2,3,4 SL5.5, 7 T10,15,20,25,30,40



RT-18139

18PCS 1/4" DR. SOCKET SET

- 13PCS - 1/4"DR. SPLINE SOCKET 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
- 2 PCS - 1/4"DR. EXTENSION BAR 50, 100mm
- 1 PCS - 1/4"DR. SLIDING T-BAR
- 1 PCS - 1/4"DR. UNIVERSAL JOINT
- 1 PCS - 1/4"DR. 72T MINI LONG RATCHET HANDLE



RT-18141

37PCS 1/4" DR. SOCKET & BIT SET

- 13PCS - 1/4"DR. SUPERLOCK SOCKET 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
- 1 PCS - 1/4"DR. EXTENSION BAR 75mm
- 1 PCS - 1/4"DR. UNIVERSAL JOINT
- 1 PCS - 1/4" X 1/4" BIT 72T MINI LONG RATCHET HANDLE
- 1 PCS - 50MM STAINLESS BIT HOLDER
- 20PCS - S2 BIT PH1,2,3 PZ1,2,3 SL3,4,5,6 T10,15,20,25,30,40 HEX3,4,5,6

HAND TOOLS - SOCKET WRENCH SET

Excellence Design Double Color Plastic Box

- Four corners covered black soft TPR
- Slide lock design to hold the box tightly
- EVA foam tray inside
- Box Size:152X86X35mm



RT-18053

31PCS 1/4" 72T FLEXIBLE SUPER SHORT SOCKET AND BIT SET

- 1 PC - 1/4"DR.72T FLEXIBLE RATCHET HANDLE
- 10 PCS - 1/4"DR X 17mm 12PT SHORT SOCKET:4. 5. 6. 7. 8. 9. 10. 11. 12. 13mm
- 1 PC - 1/4"DR.EXTENSION BAR 50mm
- 1 PC -1/4"DR X 1/4" HEX BIT ADAPTOR
- 18 PCS - 25mm BIT-(S2)
 - 3-PH1. PH2. PH3 3-PZ1. PZ2. PZ3 3-SL4. SL5. SL6
 - 3-H4. H5. H6 6-T10. T15. T20. T25. T30. T40



RT-18055

30PCS 1/4" DR. 108T SUPER SHORT SOCKET AND BIT SET

- 1 PC-1/4"DR.108T STUBBY RATCHET HANDLE
- 10 PC-1/4"DR X 17mm 12PT SHORT SOCKET:4. 5. 6. 7. 8. 9. 10. 11. 12. 13mm
- 1 PC-1/4"DR.UNIVERSAL JOINT
- 1 PC-1/4"DR.EXTENSION BAR 50mm
- 1 PC-1/4"DR X 1/4" HEX BIT ADAPTOR
- 16 PC-25mm BIT-(S2)
 - 3-PH1. PH2. PH3 3-PZ1. PZ2. PZ3 4-SL3. SL4. SL5. SL6
 - 6-T10. T15. T20. T25. T30. T40



RT-18057

26PCS 1/4" DR X 1/4" 72T SUPER SHORT SOCKET AND BIT SET

- 1 PC - 1/4" DR X 1/4" BIT 72T MINI RATCHET HANDLE
- 10 PCS - 1/4"DR X 17mm 12PT SHORT SOCKET:4. 5. 6. 7. 8. 9. 10. 11. 12. 13mm
- 1 PC - 1/4"DR.UNIVERSAL JOINT
- 1 PC - 1/4"DR.EXTENSION BAR 75mm
- 1 PC - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 12 PCS - 25mm BIT-(S2)
 - 3-PH1. PH2. PH3 3-SL4. SL5.5. SL7
 - 6-T10. T15. T20. T25. T30. T40"

HAND TOOLS - SOCKET WRENCH SET



RT-18059

30PCS 1/4" DR. 72T SUPER SHORT SOCKET AND BIT SET

- 1 PC - 1/4"DR.72T MINI RATCHET HANDLE
- 10 PCS - 1/4"DR X 17mm 12PT SHORT SOCKET:4. 5. 6. 7. 8. 9. 10. 11. 12. 13mm
- 1 PC - 1/4"DR.UNIVERSAL JOINT
- 1 PC - 1/4"DR.EXTENSION BAR 50mm
- 1 PC - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 16 PCS - 25mm BIT-(S2)
 - 3-PH1. PH2. PH3 3-SL4. SL5.5. SL7 3-H4. H5. H6
 - 7-T10. T15. T20. T25. T27. T30. T40



RT-18061

30PCS 1/4" DR. 72T FLEXIBLE SUPER SHORT SOCKET AND BIT SET

- 1 PC - 1/4"DR.72T X 120L FLEXIBLE RATCHET HANDLE AND BIT DRIVER
- 10 PCS - 1/4"DR X 17mm 12PT SHORT SOCKET:4. 5. 6. 7. 8. 9. 10. 11. 12. 13mm
- 1 PC - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 18 PCS - 25mm BIT-(S2)
 - 3-PH1. PH2. PH3 3-PZ1. PZ2. PZ3 3-SL4. SL5.5. SL7
 - 3-H4. H5. H6 6-T10. T15. T20. T25. T30. T40



RT-18063

29PCS 1/4" DR. FLEXIBLE GEAR WRENCH SUPER SHORT SOCKET AND BIT SET

- 1 PC - 1/4" DR X 1/4" FLEXIBLE GEAR WRENCH
- 9 PCS - 1/4"DR X 17mm 6PT SHORT SOCKET: 4. 5. 6. 7. 8. 9. 10. 11. 12mm
- 1 PC - 1/4"DR.EXTENSION BAR 50mm
- 1 PC - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 1 PC - 1/4"DR X 25mm SOCKET ADAPTOR
- 16 PCS - 25mm BIT-(S2)
 - 3-PH1. PH2. PH3 3-PZ1. PZ2. PZ3 3-SL4. SL5. SL6
 - 7-T10. T15. T20. T25. T27. T30. T40



RT-18065

28PCS 1/4" DR. GEAR WRENCH SUPER SHORT SOCKET AND BIT SET

- 1 PC - 1/4" DR X 1/4" GEAR WRENCH
- 9 PCS - 1/4"DR X 17mm 6PT SHORT SOCKET: 4. 5. 6. 7. 8. 9. 10. 11. 12mm
- 1 PC - 1/4"DR.EXTENSION BAR 50mm
- 1 PC - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 1 PC - 60mm STAINLESS BIT HOLDER
- 15 PCS - 25mm BIT-(S2)
 - 3 - PH1. PH2. PH3 3-PZ1. PZ2. PZ3 3-SL 4. SL5.5. SL7 mm
 - 6 - T10. T15. T20. T25. T30. T40



RT-18067

32PCS 1/4" DR. 72T SUPER SHORT SOCKET AND BIT SET

- 1 PC - 1/4"DR.72T RATCHET HANDLE
- 9 PCS - 1/4"DR X 17mm 6PT SHORT SOCKET: 4. 5. 6. 7. 8. 9. 10. 11. 12mm
- 1 PC - 1/4"DR.EXTENSION BAR 50mm
- 1 PC - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 20 PCS - 25mm BIT-(S2)
 - 3-PH1. PH2. PH3 3-PZ1. PZ2. PZ3 4-SL3. SL4. SL5. SL6
 - 4-H3. H4. H5. H6 6-T10. T15. T20. T25. T30. T40

HAND TOOLS - SOCKET WRENCH SET

108T



RT-18069

29PCS 1/4" DR. 108T SUPER SHORT SOCKET AND BIT SET

- 1 PC - 1/4"DR. 108T STUBBY RATCHET HANDLE
- 9 PCS - 1/4"DR X 17mm 6PT SHORT SOCKET: 4. 5. 6. 7. 8. 9. 10. 11. 12mm
- 1 PC - 1/4"DR. UNIVERSAL JOINT
- 1 PC - 1/4"DR. EXTENSION BAR 75mm
- 1 PC - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 16 PCS - 25mm BIT-(S2)
 - 3 - PH1. PH2. PH3
 - 3-PZ1. PZ2. PZ3
 - 3-SL4. SL5. SL6
 - 7 - T10. T15. T20. T25. T27. T30. T40



RT-18071

28PCS 1/4" DR. 72T SUPER SHORT SOCKET AND BIT SET

- 1 PC - 1/4"DR. 72T MINI RATCHET HANDLE
- 9 PCS - 1/4"DR X 17mm 6PT SHORT SOCKET: 4. 5. 6. 7. 8. 9. 10. 11. 12mm
- 1 PC - 1/4"DR. UNIVERSAL JOINT
- 1 PC - 1/4"DR. EXTENSION BAR 75mm
- 1 PC - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 15 PCS - 25mm BIT-(S2)
 - 3 - PH1. PH2. PH3
 - 3-SL4. SL5.5. SL7
 - 3-H4. H5. H6
 - 6 - T10. T15. T20. T25. T30. T40



RT-18073

26PCS 1/4" DR X 1/4" BIT 72T SUPER SHORT SOCKET AND BIT SET

- 1 PC - 1/4"DR X 1/4"BIT 72T MINI RATCHET HANDLE
- 9 PCS - 1/4"DR X 17mm 12PT SHORT SOCKET: 4. 5. 6. 7. 8. 9. 10. 11. 12mm
- 1 PC - 1/4"DR. UNIVERSAL JOINT
- 1 PC - 1/4"DR. EXTENSION BAR 75mm
- 1 PC - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 1 PC - 1/4"DR X 25mm SOCKET ADAPTOR
- 12 PCS - 25mm BIT-(S2)
 - 3 - PH1. PH2. PH3
 - 3-SL4. SL5.5. SL7
 - 6 - T10. T15. T20. T25. T30. T40



RT-18075

26PCS 1/4" DR. 72T SPLINE SOCKET WRENCH AND BIT SET

- 1PC - 1/4"DR. 72T RATCHET HANDLE
- 10PCS - 1/4"DR. SPLINE SOCKET: 4. 5. 6. 7. 8. 9. 10. 11. 12. 13mm
- 1PC - 1/4"DR. EXTENSION BAR 75mm
- 1PC - 1/4"DR. UNIVERSAL JOINT
- 1PC - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 12PCS - 25mm BIT-(S2)
 - 3-PH1. PH2. PH3
 - 3-PZ1. PZ2. PZ3
 - 6-T10. T15. T20. T25. T30. T40

HAND TOOLS - SOCKET WRENCH SET



RT-18077

32PCS 1/4" DR. 60T SPLINE SOCKET WRENCH AND BIT SET

- 1 PC - 1/4"DR.60T MINI ROUND RATCHET HANDLE
- 10 PCS - 1/4"DR.SPLINE SOCKET: 4. 5. 6. 7. 8. 9. 10. 11. 12. 13mm
- 1 PC - 1/4"DR.EXTENSION BAR 50mm
- 1 PCS - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 19 PCS - 25mm BIT-(S2)
 - 3-PH1. PH2. PH3 3-PZ1. PZ2. PZ3 3-SL4. SL5. SL6
 - 3-H4. H5. H6 7-T10. T15. T20. T25. T27. T30. T40



RT-18079

32PCS 1/4" DR. 72T SPLINE SOCKET WRENCH AND BIT SET

- 1 PC - 1/4"DR.72T RATCHET HANDLE AND BIT DRIVER
- 10 PCS - 1/4"DR.SPLINE SOCKET: 4. 5. 6. 7. 8. 9. 10. 11. 12. 13mm
- 1 PC - 1/4"DR.EXTENSION BAR 50mm
- 1 PC - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 1 PC - 1/4"DR X 25mm SOCKET ADAPTOR
- 18 PCS - 25mm BIT-(S2)
 - 3-PH1. PH2. PH3 3-PZ1. PZ2. PZ3 3-SL4. SL5.5. SL7
 - 3-H4. H5. H6 6-T10. T15. T20. T25. T30. T40



RT-18081

26PCS 1/4" DR. 72T SPLINE SOCKET WRENCH AND BIT SET

- 1 PC - 1/4"DR.72T RATCHET HANDLE
- 10 PCS - 1/4"DR.SPLINE SOCKET: 4. 5. 6. 7. 8. 9. 10. 11. 12. 13mm
- 1 PC - 1/4"DR.EXTENSION BAR 75mm
- 1 PC - 1/4"DR.UNIVERSAL JOINT
- 1 PC - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 12 PCS - 25mm BIT-(S2)
 - 3-PH1. PH2. PH3
 - 3-PZ1. PZ2. PZ3
 - 6-T10. T15. T20. T25. T30. T40



RT-18083

25PCS 1/4" DR. 72T FLEXIBLE SPLINE SOCKET AND BIT SET

- 1 PC - 1/4"DR.72T X 120L FLEXIBLE RATCHET HANDLE AND BIT DRIVER
- 9 PCS - 1/4"DR.SPLINE SOCKET: 4. 5. 6. 7. 8. 9. 10. 11. 12mm
- 1 PC - 1/4"DR.EXTENSION BAR 75mm
- 1 PC - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 1 PC - 1/4"DR X 25mm SOCKET ADAPTOR
- 12 PCS - 25mm BIT-(S2)
 - 3-PH1. PH2. PH3 3-PZ1. PZ2. PZ3
 - 6-T10. T15. T20. T25. T30. T40



RT-18085

30PCS 1/4" DR. FLEXIBLE GEAR WRENCH SPLINE SOCKET WRENCH AND BIT SET

- 1 PC - 1/4"D X 1/4" FLEXIBLE GEAR WRENCH
- 9 PCS - 1/4"DR.SPLINE SOCKET: 4. 5. 6. 7. 8. 9. 10. 11. 12mm
- 1 PC - 1/4"DR.EXTENSION BAR 50mm
- 1 PC - 60mm STAINLESS BIT HOLDER
- 18 PCS - 25mm BIT-(S2)
 - 3-PH1. PH2. PH3 3-PZ1. PZ2. PZ3 3-SL4. SL5. SL6
 - 3-H4. H5. H6 6-T10. T15. T20. T25. T30. T40

HAND TOOLS - SOCKET WRENCH SET



RT-18087

28PCS 1/4" DR. 72T SPLINE SOCKET WRENCH AND BIT SET

- 1 PC - 1/4"DR.72T RATCHET HANDLE
- 9 PCS - 1/4"DR.SPLINE SOCKET: 4. 5. 6. 7. 8. 9. 10. 11. 12mm
- 1 PC - 1/4"DR.EXTENSION BAR 50mm
- 1 PC - 1/4"DR.UNIVERSAL JOINT
- 1 PC - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 15 PCS - 25mm BIT-(S2)
 - 3 - PH1. PH2. PH3 3-PZ1. PZ2. PZ3 3-SL4. SL5.5. SL7
 - 6 - T10. T15. T20. T25. T30. T40



RT-18089

33PCS 1/4" DR. 72T SPLINE SOCKET WRENCH AND BIT SET

- 1 PC - 1/4"DR.72T MINI RATCHET HANDLE
- 9 PCS - 1/4"DR.SPLINE SOCKET: 4. 5. 6. 7. 8. 9. 10. 11. 12mm
- 1 PC - 1/4"DR.EXTENSION BAR 50mm
- 1 PC - 1/4"DR.UNIVERSAL JOINT
- 1 PC - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 20 PCS - 25mm BIT-(S2)
 - 3 - PH1. PH2. PH3 3-PZ1. PZ2. PZ3 4-SL3. SL4. SL5. SL6
 - 3 - H4. H5. H6 7-T10. T15. T20. T25. T27. T30. T40



RT-18091

33PCS 1/4" DR X 1/4" 72T SPLINE SOCKET AND BIT SET

- 1 PC - 1/4"DR X 1/4" BIT 72T MINI RATCHET HANDLE
- 9 PCS - 1/4"DR.SPLINE SOCKET: 4. 5. 6. 7. 8. 9. 10. 11. 12mm
- 1 PC - 1/4"DR.EXTENSION BAR 75mm
- 1 PC - 1/4"DR.UNIVERSAL JOINT
- 1 PC - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 1 PC - 1/4"DR X 25mm SOCKET ADAPTOR
- 19 PCS - 25mm BIT-(S2)
 - 3 - PH1. PH2. PH3 3-PZ1. PZ2. PZ3 3-SL4. SL5.5. SL7
 - 3 - H4. H5. H6 7-T10. T15. T20. T25. 27. T30. T40



RT-18093

34PCS 1/4" DR. 108T SPLINE SOCKET WRENCH AND BIT SET

- 1 PC - 1/4"DR.108T STUBBY RATCHET HANDLE
- 9 PCS - 1/4"DR.SPLINE SOCKET: 4. 5. 6. 7. 8. 9. 10. 11. 12mm
- 1 PC - 1/4"DR.EXTENSION BAR 50mm
- 1 PC - 1/4"DR.UNIVERSAL JOINT
- 1 PC - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 21 PCS - 25mm BIT-(S2)
 - 3 - PH1. PH2. PH3 3-PZ1. PZ2. PZ3 4-SL3. SL4. SL5. SL6
 - 4 - H3. H4. H5. H6 7-T10. T15. T20. T25. 27. T30. T40



RT-18095

25PCS 1/4" DR. 72T FLEXIBLE SPLINE SOCKET WRENCH AND BIT SET

- 1 PC - 1/4"DR.72T FLEXIBLE RATCHET HANDLE
- 9 PCS - 1/4"DR.SPLINE SOCKET: 4. 5. 6. 7. 8. 9. 10. 11. 12mm
- 1 PC - 1/4"DR.EXTENSION BAR 75mm
- 1 PC - 1/4"DR.UNIVERSAL JOINT
- 1 PC - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 12 PCS - 25mm BIT-(S2)
 - 3 - PH1. PH2. PH3 3-SL4. SL5.5. SL7
 - 6 - T10. T15. T20. T25. T30. T40

HAND TOOLS - SOCKET WRENCH SET



RT-18097

24PCS 1/4" DR. 60T SUPER LOCK SOCKET AND BIT SET

- 1 PC - 1/4"DR.60T RATCHET HANDLE
- 10 PCS - 1/4"DR.SUPER LOCK SOCKET:4. 5. 6. 7. 8. 9. 10. 11. 12. 13mm
- 1 PC - 1/4"DR.EXTENSION BAR 75mm
- 1 PC - 1/4"DR.UNIVERSAL JOINT
- 1 PC - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 10 PCS - 25mm BIT-(S2)
 - 2 - PH1. PH2 2-PZ1. PZ2
 - 6 - T10. T15. T20. T25. T30. T40



RT-18099

29PCS 1/4" DR. 72T SUPER LOCK SOCKET AND BIT SET

- 1 PC - 1/4"DR.72T RATCHET HANDLE AND BIT DRIVER
- 10 PCS - 1/4"DR.SUPER LOCK SOCKET:4. 5. 6. 7. 8. 9. 10. 11. 12. 13mm
- 1 PC - 1/4"DR.EXTENSION BAR 50mm
- 1 PC - 60mm QUICK CHUCK BIT HOLDER
- 16 PCS - 25mm BIT-(S2)
 - 3 - PH1. PH2. PH3 3-SL4. SL5. SL6 3-H4. H5. H6
 - 7 - T10. T15. T20. T25. T27. T30. T40



RT-18101

33PCS 1/4" DR. 72T SUPER LOCK SOCKET AND BIT SET

- 1 PC - 1/4"DR.72T RATCHET HANDLE AND BIT DRIVER
- 10 PCS - 1/4"DR.SUPER LOCK SOCKET:4. 5. 6. 7. 8. 9. 10. 11. 12. 13mm
- 1 PC - 1/4"DR.EXTENSION BAR 50mm
- 1 PC - 1/4"DR.UNIVERSAL JOINT
- 1 PC - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 1 PC - 1/4"DR X 25mm SOCKET ADAPTOR
- 18 PCS - 25mm BIT-(S2)
 - 3 - PH1. PH2. PH3 3-PZ1. PZ2. PZ3 3-SL4. SL5.5. SL7
 - 3 - H4. H5. H6 6-T10. T15. T20. T25. T30. T40



RT-18103

38PCS 1/4" DR. 72T SUPER LOCK SOCKET AND BIT SET

- 1 PC - 1/4"DR.72T RATCHET HANDLE
- 10 PCS - 1/4"DR.SUPER LOCK SOCKET:4. 5. 6. 7. 8. 9. 10. 11. 12. 13mm
- 1 PC - 1/4"DR.EXTENSION BAR 50mm
- 1 PC - 1/4"DR.UNIVERSAL JOINT
- 1 PC - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 24 PCS - 25mm BIT-(S2)
 - 3 - PH1. PH2. PH3 3-PZ1. PZ2. PZ3 5-SL3. SL4. SL5. SL6. SL7
 - 6 - H2. H2.5. H3. H4. H5. H6 7-T10. T15. T20. T25. T27. T30. T40



RT-18105

33PCS 1/4" DR. 72T SUPER LOCK SOCKET AND BIT SET

- 1 PC - 1/4"DR.72T BIT DRIVER
- 10 PCS - 1/4"DR.SUPER LOCK SOCKET:4. 5. 6. 7. 8. 9. 10. 11. 12. 13mm
- 1 PC - 60mm STAINLESS BIT HOLDER
- 1 PC - 1/4"DR X 25mm SOCKET ADAPTOR
- 20 PCS - 25mm BIT-(S2)
 - 3 - PH1. PH2. PH3 3-PZ1. PZ2. PZ3 3-SL4. SL5.5. SL7
 - 4 - H3. H4. H5. H6 7-T10. T15. T20. T25. T27. T30. T40

HAND TOOLS - SOCKET WRENCH SET



RT-18107

31PCS 1/4" DR. 72T FLEXIBLE SOCKET WRENCH AND BIT SET

- 1 PC - 1/4"DR.72T FLEXIBLE RATCHET HANDLE
- 12 PCS - 1/4"DR.SOCKET: 4. 4.5. 5. 5.5. 6. 7. 8. 9. 10. 11. 12. 13mm
- 1 PC - 1/4"DR.EXTENSION BAR 50mm
- 1 PC - 1/4"DR.UNIVERSAL JOINT
- 1 PC - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 15 PCS - 25mm BIT-(S2)
 - 3 - PH1. PH2. PH3
 - 3-SL4. SL5.5. SL7
 - 3-H4. H5. H6
 - 6 - T10. T15. T20. T25. T30. T40



RT-18109

29PCS 1/4" DR. 72T SOCKET WRENCH AND BIT SET

- 1 PC - 1/4"DR.72T SPOON RATCHET HANDLE
- 12 PCS - 1/4"DR.SOCKET: 4. 4.5. 5. 5.5. 6. 7. 8. 9. 10. 11. 12. 13mm
- 1 PC - 1/4"DR.EXTENSION BAR 50mm
- 1 PC - 1/4"DR.UNIVERSAL JOINT
- 1 PC - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 13 PCS - 25mm BIT-(S2)
 - 3 - PH1. PH2. PH3
 - 3-SL4. SL5.5. SL7
 - 7 - T10. T15. T20. T25. T27. T30. T40



RT-18111

30PCS 1/4" DR X 1/4" 72T SOCKET WRENCH AND BIT SET

- 1 PC - 1/4"DR X 1/4" BIT 72T MINI RATCHET HANDLE
- 12 PCS - 1/4"DR.SOCKET: 4. 4.5. 5. 5.5. 6. 7. 8. 9. 10. 11. 12. 13mm
- 1 PC - 1/4"DR.EXTENSION BAR 50mm
- 1 PC - 1/4"DR.UNIVERSAL JOINT
- 1 PC - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 1 PC - 1/4"DR X 25mm SOCKET ADAPTOR
- 13 PCS - 25mm BIT-(S2)
 - 3 - PH1. PH2. PH3
 - 3-SL4. SL5. SL6
 - 7 - T10. T15. T20. T25. T27. T30. T40



108T

RT-18113

35PCS 1/4" DR. 108T SOCKET WRENCH AND BIT SET

- 1 PC - 1/4"DR.108T STUBBY RATCHET HANDLE
- 12 PCS - 1/4"DR.SOCKET: 4. 4.5. 5. 5.5. 6. 7. 8. 9. 10. 11. 12. 13mm
- 1 PC - 1/4"DR.EXTENSION BAR 50mm
- 1 PC - 1/4"DR.UNIVERSAL JOINT
- 1 PC - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 19 PCS - 25mm BIT-(S2)
 - 3 - PH1. PH2. PH3
 - 3-PZ1. PZ2. PZ3
 - 3-SL4. SL5. SL6
 - 3 - H4. H5. H6
 - 7-T10. T15. T20. T25. T27. T30. T40



RT-18115

25PCS 1/4" DR. 72T SOCKET WRENCH AND BIT SET

- 1 PC - 1/4"DR.72T MINI RATCHET HANDLE
- 12 PCS - 1/4"DR.SOCKET: 4. 4.5. 5. 5.5. 6. 7. 8. 9. 10. 11. 12. 13mm
- 1 PC - 1/4"DR.EXTENSION BAR 75mm
- 1 PC - 1/4"DR.UNIVERSAL JOINT
- 1 PC - 1/4"DR X 1/4" HEX BIT ADAPTOR
- 9 PCS - 25mm BIT-(S2)
 - 2 - PH1. PH2
 - 2-PZ1. PZ2
 - 5-T10. T15. T20. T25. T30

HAND TOOLS - SOCKET WRENCH SET



RT-18117

27PCS 1/4" DR. 60T SOCKET WRENCH SET

- 1 PC - 1/4"DR.60T RATCHET HANDLE
- 12 PCS - 1/4"DR.SOCKET: 4. 4.5. 5. 5.5. 6. 7. 8. 9. 10. 11. 12. 13mm
- 1 PC - 1/4"DR.EXTENSION BAR 50mm
- 1 PC - 1/4"DR.UNIVERSAL JOINT
- 12 PCS - 1/4"DR.BIT SOCKET
 - 2-PH1. PH2 2-PZ1. PZ2
 - 3-SL4. SL5.5. SL7 5-H3. H4. H5. H6. H8



RT-18119

33PCS 1/4" DR. 72T SOCKET WRENCH AND BIT SET

- 1 PC - 1/4"DR.72T BIT DRIVER
- 12 PCS - 1/4"DR.SOCKET: 4. 4.5. 5. 5.5. 6. 7. 8. 9. 10. 11. 12. 13mm
- 1 PC - 60mm STAINLESS BIT HOLDER
- 1 PC - 1/4"DR X 25mm SOCKET ADAPTOR
- 18 PCS - 25mm BIT-(S2)
 - 3-PH1. PH2. PH3 3-PZ1. PZ2. PZ3 3-SL4. SL5.5. SL7
 - 3-H4. H5. H6 6-T10. T15. T20. T25. T30. T40



RT-18121

33PCS 1/4" DR. 72T DRIVER BIT SET

- 1 PC - 1/4"DR.72T BIT DRIVER
- 1 PC - 60mm QUICK CHUCK BIT HOLDER
- 1 PC - 60mm STAINLESS BIT HOLDER
- 30 PCS - 25mm BIT-(S2)
 - 3-PH1. PH2. PH3 3-PZ1. PZ2. PZ3 5-SL3. SL4. SL5. SL6. SL7
 - 5-H2. H3. H4. H5. H6 7-T10. T15. T20. T25. T27. T30. T40
 - 7-T10H. T15H. T20H. T25H. T27H. T30H. T40H



RT-18123

46PCS POWER BIT SET

- 1 PC - 60mm QUICK CHUCK BIT HOLDER
- 1 PC - 60mm STAINLESS BIT HOLDER
- 44 PCS - 25mm BIT-(S2)
 - 5-PH0. PH1. PH2X2. PH3 5-PZ0. PZ1. PZ2X2. PZ3
 - 6-SL3. SL4. SL5. SL6. SL7. SL8 8-H2. H2.5. H3. H4. H5. H6. H7. H8
 - 10-T7. T8. T9. T10. T15. T20. T25. T27. T30. T40
 - 10-T7H. T8H. T9H. T10H. T15H. T20H. T25H. T27H. T30H. T40H



RT-18125

37PCS 1/4" DR. 72T DRIVER BIT SET

- 1 PC - 1/4"DR.72T BIT DRIVER
- 1 PC - 65mm QUICK CHUCK BIT HOLDER
- 1 PC - 1/4"DR X 25mm SOCKET ADAPTOR
- 34 PCS - 25mm BIT-(S2)
 - 4-PH0. PH1. PH2. PH3 4-PZ0. PZ1. PZ2. PZ3
 - 5-SL3. SL4. SL5. SL6. SL7 7-H2. H2.5. H3. H4. H5. H6. H7
 - 7-T10. T15. T20. T25. T27. T30. T40
 - 7-T10H. T15H. T20H. T25H. T27H. T30H. T40H

HAND TOOLS - SOCKET WRENCH SET



RT-18127

40PCS 1/4" DR. 72T DRIVER BIT SET

- 1 PC - 1/4"DR.72T BIT DRIVER
- 1 PC - 60mm QUICK CHUCK BIT HOLDER
- 1 PC - 60mm STAINLESS BIT HOLDER
- 1 PC - 1/4"DR X 25mm SOCKET ADAPTOR
- 36 PCS - 25mm BIT-(S2)
 - 5-PH0. PH1. PH2X2. PH3
 - 5-PZ0. PZ1. PZ2X2. PZ3
 - 6-SL3. SL4. SL5. SL6. SL7. SL8
 - 6-H2. H3. H4. H5. H6. H7
 - 7-T10. T15. T20. T25. T27. T30. T40
 - 7-T10H. T15H. T20H. T25H. T27H. T30H. T40H

RT-18129

34PCS 1/4" DR. 72T DRIVER BIT AND NUT SET

- 1 PC - 1/4"DR.72T BIT DRIVER
- 5 PC - NUT DRIVER: 6. 8. 10. 11. 13 mm
- 1 PC - 60mm STAINLESS BIT HOLDER
- 1 PC - 1/4"DR X 25mm SOCKET ADAPTOR
- 26 PCS - 25mm BIT-(S2)
 - 3-PH1. PH2. PH3
 - 3-PZ1. PZ2. PZ3
 - 3-SL4. SL5.5. SL7
 - 3-H4. H5. H6
 - 7-T10. T15. T20. T25. T27. T30. T40
 - 7-T10H. T15H. T20H. T25H. T27H. T30H. T40H

RT-18131

44PCS 1/4" DR. 60T DRIVER BIT SET

- 1 PC - 1/4"DR.60T X 6mm BIT DRIVER
- 1 PC - 60mm QUICK CHUCK BIT HOLDER
- 1 PC - 1/4"DR X 25mm SOCKET ADAPTOR
- 41 PCS - 25mm BIT-(S2)
 - 5-PH0. PH1. PH2X2. PH3
 - 5-PZ0. PZ1. PZ2X2. PZ3
 - 6-SL3. SL4. SL5. SL6. SL7. SL8
 - 7-H2. H3. H4. H5. H6. H7. H8
 - 9-T8. T9. T10. T15. T20. T25. T27. T30. T40
 - 10-T8H. T9H. T10H. T15H. T20H. T25H. T27H. T30H. T40H

RT-18133

30PCS 1/4" DR. 60T DRIVER BIT AND NUT SET

- 1 PC - 1/4"DR.60T X 6mm BIT DRIVER
- 5 PCS - NUT DRIVER: 6. 8. 10. 11. 13 mm
- 1 PC - 60mm STAINLESS BIT HOLDER
- 1 PC - 1/4"DR X 25mm SOCKET ADAPTOR
- 22 PCS - 25mm BIT-(S2)
 - 3-PH1. PH2. PH3
 - 3-PZ1. PZ2. PZ3
 - 4-SL3. SL4. SL5.5. SL7
 - 5-H2. H3. H4. H5. H6
 - 7-T10. T15. T20. T25. T27. T30. T40

RT-18145

T WRENCH SET 32PCS

- Can use with bits & sockets
 - Available for different way operation.
 - With extended magnet bit holder handle easy to operate
 - Content:
 - 10 pcs 1/4"Dr. Superlock knurled socket 4,5,6,7,8,9,10,11,12,13mm
 - 1 pcs 1/4"Dr. adapter
 - 19 pcs 25mm color coded bit ph1,2,3 pillip 1,2,3 slot 4,5,5,7 hex3,4,5,6
 - 1 pcs 1/4" hex T wrench (w/quick release)
 - 1 pcs extended magnet bit holder handle
- Item No. RT-18145 without ratchet T wrench
Item No. RT-18147 ratchet T wrench

RT-18147

With Bit

With Socket

T Wrench Set Operation

With ratchet head



HAND TOOLS - HEAVY DUTY STUBBY SOCKET SET

Full sizes of heavy duty stubby socket 1/4, 3/8 & 1/2" Dr. for working in narrow space, in metal clip with plastic hanger card

RT-S416MK-STB

16PCS 1/2" DR. STUBBY SOCKET SET

- 1/2"DR. 16-STUBBY SOCKETS
10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32mm (28mmL)



RT-S315MK-STB

15PCS 3/8" DR. STUBBY SOCKET SET

- 3/8"DR. 15-STUBBY SOCKETS
8-9-10-11-12-13-14-15-16-17-18-19-21-22-24mm (22mmL)



RT-S213MK-STB

13PCS 1/4" DR. STUBBY SOCKET SET

- 1/4"DR. 13-STUBBY SOCKETS
4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm (16mmL)



RATCHET WRENCH ADAPTER WOBBLE SET

WOBBLE ADAPTER 1/4" 3/8" 1/2"

Drive the socket with press, it helps the gear wrench retune smooth

- Available size for three sizes
- CR-MO Steel Material
- 1/4"Dr. x 10mm
- 3/8"Dr. x 14mm
- 1/2"Dr. x 19mm




QUICK RELEASE BIT ADAPTER SET

- Available size for three sizes
- CR-V Steel Material
- 1/4" Hex x 1/4" x 75mm(L)
- 3/8" Hex x 3/8" x 75mm(L)
- 1/2" Hex x 1/2" x 75mm(L)



HAND TOOLS - WRENCHES



ASLGM

AS RATCHET WRENCH

Model No.	Size	Model No.	Size	D1	D2	T1	T2	L
300010101061	6 mm	300010101062	1/4"	19.2	17.2	4.5	6.4	148
300010101071	7 mm			19.2	17.2	4.5	6.4	148
300010101081	8 mm	300010101082	5/16"	19.2	17.2	4.5	6.4	148
300010101091	9 mm			21.3	19.1	4.8	6.7	160
300010101101	10 mm	300010101102	3/8"	23.8	20.2	5.0	7.0	167
300010101111	11 mm	300010101112	7/16"	25.3	22.6	5.3	7.3	186
300010101121	12 mm			27.0	23.8	5.5	7.6	196
300010101131	13 mm	300010101132	1/2"	29.6	25.4	6.2	8.1	205
300010101141	14 mm	300010101142	9/16"	31.6	27.6	6.4	8.5	223
300010101151	15 mm			33.2	28.8	6.8	9.0	233
300010101161	16 mm	300010101162	5/8"	35.6	30.4	7.3	9.5	243
300010101171	17 mm	300010101172	11/16"	37.8	32.4	7.8	10.0	262
300010101181	18 mm			39.6	33.4	8.4	10.5	272
300010101191	19 mm	300010101192	3/4"	41.6	35.0	8.7	11.0	281
300010101201	20 mm			41.6	35.0	8.7	11.0	281
300010101211	21 mm	300010101212	7/8"	45.6	40.6	9.8	13.0	319
300010101221	22 mm	300010101222	13/16"	45.6	40.6	9.8	13.0	319
300010101231	23 mm			52.0	46.4	10.8	14.5	339
300010101241	24 mm	300010101242	15/16"	52.0	46.4	10.8	14.5	339
300010101251	25 mm	300010101252	1"	52.0	46.4	10.8	14.5	339
300010101261	26 mm			52.0	46.4	10.8	14.5	339

Classic

Wider

Classic

Wider




Turning radius of lightweight

155.8

139.5

Innovative high-torque wrench:CKH-19
Turning radius:117.75(smaller)
Typical wrench:CKE-19
Turning radius:131.50(bigger)

HAND TOOLS - WRENCHES




GM

COMBINATION RATCHET WRENCH

Model No.	Size	Model No.	Size	D1	D2	T1	T2	L
300020101051	5.5 mm			17.02	17.03	4.71	6.35	140
300020101061	6 mm	300020101062	1/4"	17.02	17.03	4.71	6.35	140
300020101071	7 mm			17.02	17.03	4.71	6.35	140
300020101081	8 mm	300020101082	5/16"	17.02	17.03	4.71	6.35	140
300020101091	9 mm			19.75	19.2	5	6.67	149
300020101101	10 mm	300020101102	3/8"	21.28	20.22	4.8	6.94	158
300020101111	11 mm	300020101112	7/16"	24.18	22.72	5.31	7.24	165
300020101121	12 mm			26.47	23.6	5.58	7.54	171
300020101131	13 mm	300020101132	1/2"	28	25.29	5.74	8.07	177
300020101141	14 mm	300020101142	9/16"	30.81	27.3	5.85	8.48	190
300020101151	15 mm			32.12	28.64	6.23	8.95	198
300020101161	16 mm	300020101162	5/8"	34.32	30.78	6.12	9.47	208
300020101171	17 mm	300020101172	11/16"	36.18	32.39	6.8	9.95	224
300020101181	18 mm			38.45	33.48	7.16	10.39	235
300020101191	19 mm	300020101192	3/4"	40.73	35.41	7.79	10.97	247
300020101201	20 mm			45.8	40.88	9.42	12.97	288
300020101211	21 mm	300020101212	7/8"	45.8	40.88	9.42	12.97	288
300020101221	22 mm	300020101222	13/16"	46.05	40.62	8.94	12.96	288
300020101231	23 mm			51.97	46.04	10.42	14.47	320
300020101241	24 mm	300020101242	15/16"	51.97	46.04	10.42	14.47	320
300020101251	25 mm	300020101252	1"	51.97	46.04	10.42	14.47	320
300020101261	26 mm			51.97	46.04	10.42	14.47	320
300020101271	27 mm	300020101272	1-1/16"	56.0	52.0	10.5	15.6	359
300020101281	28 mm			56.0	52.0	10.5	15.6	359
300020101291	29 mm	300020101292	1-1/8"	56.0	52.0	10.5	15.6	359
300020101301	30 mm			65.5	62.0	12.5	17.5	425
300020101311	31 mm			65.5	62.0	12.5	17.5	425
300020101321	32 mm	300020101322	1-1/4"	65.5	62.0	12.5	17.5	425
300020101331	33 mm			65.5	62.0	12.5	17.5	425
300020101341	34 mm			79.0	65.4	14.5	18.5	485
300020101351	35 mm			79.0	65.4	14.5	18.5	485
300020101361	36 mm			79.0	65.4	14.5	18.5	485
300020101371	37 mm			79.0	65.4	14.5	18.5	485
300020101381	38 mm	300020101382	1-1/2"	79.0	65.4	14.5	18.5	485

HAND TOOLS - WRENCHES



SGM

STUBBY COMBINATION RATCHET WRENCH

Model No.	Size	Model No.	Size	D1	D2	T1	T2	L
300040101051	5.5 mm			18.2	18.8	5.2	6.4	91
300040101061	6 mm	300040101062	1/4"	18.2	18.8	5.2	6.4	91
300040101071	7 mm			18.2	18.8	5.2	6.4	91
300040101081	8 mm	300040101082	5/16"	18.2	18.8	5.2	6.4	91
300040101091	9 mm			18.2	18.8	5.2	6.7	91
300040101101	10 mm	300040101102	3/8"	20.2	21	5.7	7.0	94
300040101111	11 mm	300040101112	7/16"	20.2	21	5.7	7.3	94
300040101121	12 mm			26.5	24.8	6.8	7.6	107
300040101131	13 mm	300040101132	1/2"	26.5	24.8	6.8	8.1	107
300040101141	14 mm	300040101142	9/16"	28.6	27.2	7.2	8.5	114
300040101151	15 mm			28.6	27.2	7.2	9.0	114
300040101161	16 mm	300040101162	5/8"	34.6	32.2	8.5	9.5	128
300040101171	17 mm	300040101172	11/16"	34.6	32.2	8.5	10.0	128
300040101181	18 mm			39.1	34.4	9.5	10.5	138
300040101191	19 mm	300040101192	3/4"	39.1	34.4	9.5	11.0	138
300040101201	20 mm			39.1	34.4	9.5	11.0	138



RT18047

DOUBLE FLEXIBLE SOCKET WRENCH - MIRROR

Size: 6x7, 8x9, 8x10, 10x12, 10x11, 10x13, 11x13, 12x13, 12x14, 13x17, 14x15, 14x17, 16x17, 17x19, 18x19, 19x22, 20x22, 21x22, 21x23, 24x27, 30x32 mm, 3/8x7/16, 1/2x9/16, 5/8x11/16, 11/16x3/4, 3/4x7/8




RT18049

DOUBLE FLEXIBLE SOCKET WRENCH - MAT

Size: 6x7, 8x9, 8x10, 10x11, 10x12, 10x13, 11x13, 12x13, 12x14, 13x17, 14x15, 14x17, 15x18, 16x17, 17x19, 18x19, 19x22, 20x21, 20x22, 21x22, 21x23, 24x27, 30x32 mm, 3/8x7/16, 1/2x9/16, 5/8x11/16, 11/16x3/4, 3/4x7/8


HAND TOOLS - WRENCHES



FGM

FLEX RATCHET WRENCH

Model No.	Size	Model No.	Size	D1	D2	T1	T2	L
300090101051	5.5 mm			16.2	18.2	4.4	6.4	140
300090101061	6 mm	300090101062	1/4"	16.2	18.2	4.4	6.4	140
300090101071	7 mm			16.2	18.2	4.4	6.4	140
300090101081	8 mm	300090101082	5/16"	16.2	18.2	4.4	6.4	140
300090101091	9 mm			18.3	18.2	4.6	6.7	150
300090101101	10 mm	300090101102	3/8"	20.3	21.7	5.2	7.0	160
300090101111	11 mm	300090101112	7/16"	22.4	21.7	5.6	7.3	165
300090101121	12 mm			24.5	24.8	5.8	7.6	170
300090101131	13 mm	300090101132	1/2"	26.6	24.8	6.6	8.1	178
300090101141	14 mm	300090101142	9/16"	28.7	28.1	6.8	8.5	190
300090101151	15 mm			30.6	28.1	7.3	9.0	200
300090101161	16 mm	300090101162	5/8"	32.8	31.0	7.6	9.5	208
300090101171	17 mm	300090101172	11/16"	34.8	31.0	8.1	10.0	225
300090101181	18 mm			36.9	33.9	8.5	10.5	237
300090101191	19 mm	300090101192	3/4"	39.2	33.9	9.0	11.0	248
300090101201	20 mm			39.2	33.9	9.0	11.0	248
300090101211	21 mm	300090101212	7/8"	46.5	38.8	9.5	13.0	288
300090101221	22 mm	300090101222	13/16"	46.5	38.8	9.5	13.0	288
300090101231	23 mm			51.9	45.2	10.5	14.5	322
300090101241	24 mm	300090101242	15/16"	51.9	45.2	10.5	14.5	322
300090101251	25 mm	300090101252	1"	51.9	45.2	10.5	14.5	322
300090101261	26 mm			51.9	45.2	10.5	14.5	322




SFGM

STUBBY FLEX RATCHET WRENCH

Model No.	Size	Model No.	Size	D1	D2	T1	T2	L
300110101051	5.5 mm			18.4	18.2	4.8	6.4	93
300110101061	6 mm	300110101062	1/4"	18.4	18.2	4.8	6.4	93
300110101071	7 mm			18.4	18.2	4.8	6.4	93
300110101081	8 mm	300110101082	5/16"	18.4	18.2	4.8	6.4	93
300110101091	9 mm			18.4	18.2	4.8	6.7	93
300110101101	10 mm	300110101102	3/8"	23.2	21.7	5.2	7.0	100
300110101111	11 mm	300110101112	7/16"	23.2	21.7	5.2	7.3	100
300110101121	12 mm			27.2	24.8	6.0	7.6	108
300110101131	13 mm	300110101132	1/2"	27.2	24.8	6.0	8.1	108
300110101141	14 mm	300110101142	9/16"	31.6	28.1	6.8	8.5	118
300110101151	15 mm			31.6	28.1	6.8	9.0	118
300110101161	16 mm	300110101162	5/8"	35.8	31.0	7.4	9.5	126
300110101171	17 mm	300110101172	11/16"	35.8	31.0	7.4	10.0	126
300110101181	18 mm			40.0	33.9	8.1	10.5	138
300110101191	19 mm	300110101192	3/4"	40.0	33.9	8.1	11.0	138
300110101201	20 mm			40.0	33.9	8.1	11.0	138


HAND TOOLS - WRENCHES



75FGM

75 FLEX RATCHET WRENCH

Model No.	Size	Model No.	Size	D1	D2	T1	T2	L
300160101051	5.5 mm			16.2	17.0	4.4	6.4	148
300160101061	6 mm	300160101062	1/4"	16.2	17.0	4.4	6.4	148
300160101071	7 mm			16.2	17.0	4.4	6.4	148
300160101081	8 mm	300160101082	5/16"	16.2	17.0	4.4	6.4	148
300160101091	9 mm			18.3	19.0	4.6	6.7	158
300160101101	10 mm	300160101102	3/8"	20.3	20.9	5.2	7.0	170
300160101111	11 mm	300160101112	7/16"	22.4	22.2	5.6	7.3	175
300160101121	12 mm			24.5	24.3	5.8	7.6	185
300160101131	13 mm	300160101132	1/2"	26.6	25.5	6.6	8.1	190
300160101141	14 mm	300160101142	9/16"	28.7	27.8	6.8	8.5	200
300160101151	15 mm			30.6	29.2	7.3	9.0	210
300160101161	16 mm	300160101162	5/8"	32.8	30.7	7.6	9.5	220
300160101171	17 mm	300160101172	11/16"	34.8	32.8	8.1	10.0	238
300160101181	18 mm			36.9	34.7	8.5	10.5	248
300160101191	19 mm	300160101192	3/4"	39.2	35.2	9.0	11.0	258
300160101201	20 mm			39.2	35.2	9.0	11.0	258





75SFGM

75 STUBBY FLEX RATCHET WRENCH

Model No.	Size	Model No.	Size	D1	D2	T1	T2	L
300180101051	5.5 mm			18.4	17.0	4.8	6.4	100
300180101061	6 mm	300180101062	1/4"	18.4	17.0	4.8	6.4	100
300180101071	7 mm			18.4	17.0	4.8	6.4	100
300180101081	8 mm	300180101082	5/16"	18.4	17.0	4.8	6.4	100
300180101091	9 mm			18.4	19.0	4.8	6.7	102
300180101101	10 mm	300180101102	3/8"	23.2	20.9	5.2	7.0	107
300180101111	11 mm	300180101112	7/16"	23.2	22.2	5.2	7.3	110
300180101121	12 mm			27.2	24.3	6.0	7.6	116
300180101131	13 mm	300180101132	1/2"	27.2	25.5	6.0	8.1	120
300180101141	14 mm	300180101142	9/16"	31.6	27.8	6.8	8.5	128
300180101151	15 mm			31.6	29.2	6.8	9.0	133
300180101161	16 mm	300180101162	5/8"	35.8	30.7	7.4	9.5	138
300180101171	17 mm	300180101172	11/16"	35.8	32.8	7.4	10.0	143
300180101181	18 mm			40.0	34.7	8.1	10.5	150
300180101191	19 mm	300180101192	3/4"	40.0	35.2	8.1	11.0	153
300180101201	20 mm			40.0	35.2	8.1	11.0	153

HAND TOOLS - WRENCHES




RGM

REVERSIBLE RATCHET WRENCH

Model No.	Size	Model No.	Size	D1	D2	T1	T2	L
300220101051	5.5 mm			17.4	17.9	4.7	6.4	140
300220101061	6 mm	300220101062	1/4"	17.4	17.9	4.7	6.4	140
300220101071	7 mm			17.4	17.9	4.7	6.4	140
300220101081	8 mm	300220101082	5/16"	17.4	17.9	4.7	6.4	140
300220101091	9 mm			19.7	18.7	5.2	6.7	150
300220101101	10 mm	300220101102	3/8"	22.4	22.5	5.4	7.0	160
300220101111	11 mm	300220101112	7/16"	24.0	22.9	5.6	7.3	165
300220101121	12 mm			26.6	25.6	5.8	7.6	170
300220101131	13 mm	300220101132	1/2"	28.0	26.0	6.0	8.1	178
300220101141	14 mm	300220101142	9/16"	30.1	28.9	6.5	8.5	190
300220101151	15 mm			32.0	29.5	6.8	9.0	200
300220101161	16 mm	300220101162	5/8"	34.2	31.5	7.0	9.5	208
300220101171	17 mm	300220101172	11/16"	36.4	31.8	7.5	10.0	225
300220101181	18 mm			38.4	34.5	7.8	10.5	237
300220101191	19 mm	300220101192	3/4"	40.8	35.2	8.0	11.0	248
300220101201	20 mm			40.8	35.2	8.0	11.0	248
300220101211	21 mm	300220101212	7/8"	46.5	40.6	8.8	13.0	288
300220101221	22 mm	300220101222	13/16"	46.5	40.6	8.8	13.0	288
300220101231	23 mm			52.0	46.1	10.0	14.5	322
300220101241	24 mm	300220101242	15/16"	52.0	46.1	10.0	14.5	322
300220101251	25 mm	300220101252	1"	52.0	46.1	10.0	14.5	322
300220101261	26 mm			52.0	46.1	10.0	14.5	322
300220101271	27 mm	300220101272	1-1/16"	56.0	52.0	10.5	15.6	359
300220101281	28 mm			56.0	52.0	10.5	15.6	359
300220101291	29 mm	300220101292	1-1/8"	56.0	52.0	10.5	15.6	359
300220101301	30 mm			65.5	62.0	12.5	17.5	425
300220101311	31 mm			65.5	62.0	12.5	17.5	425
300220101321	32 mm	300220101322	1-1/4"	65.5	62.0	12.5	17.5	425
300220101331	33 mm			65.5	62.0	12.5	17.5	425
300220101341	34 mm			79.0	65.4	14.5	18.5	485
300220101351	35 mm			79.0	65.4	14.5	18.5	485
300220101361	36 mm			79.0	65.4	14.5	18.5	485
300220101371	37 mm			79.0	65.4	14.5	18.5	485
300220101381	38 mm	300220101382	1-1/2"	79.0	65.4	14.5	18.5	485

HAND TOOLS - WRENCHES



RSGM

STUBBY REVERSIBLE RATCHET WRENCH

Model No.	Size	Model No.	Size	D1	D2	T1	T2	L
300230101051	5.5 mm			18.2	18.8	5.2	6.4	91
300230101061	6 mm	300230101062	1/4"	18.2	18.8	5.2	6.4	91
300230101071	7 mm			18.2	18.8	5.2	6.4	91
300230101081	8 mm	300230101082	5/16"	18.2	18.8	5.2	6.4	91
300230101091	9 mm			18.2	18.8	5.2	6.7	91
300230101101	10 mm	300230101102	3/8"	20.2	21	5.7	7.0	94
300230101111	11 mm	300230101112	7/16"	20.2	21	5.7	7.3	94
300230101121	12 mm			26.5	24.8	6.8	7.6	107
300230101131	13 mm	300230101132	1/2"	26.5	24.8	6.8	8.1	107
300230101141	14 mm	300230101142	9/16"	28.6	27.2	7.2	8.5	114
300230101151	15 mm			28.6	27.2	7.2	9.0	114
300230101161	16 mm	300230101162	5/8"	34.6	32.2	8.5	9.5	128
300230101171	17 mm	300230101172	11/16"	34.6	32.2	8.5	10.0	128
300230101181	18 mm			39.1	34.4	9.5	10.5	138
300230101191	19 mm	300230101192	3/4"	39.1	34.4	9.5	11.0	138
300230101201	20 mm			39.1	34.4	9.5	11.0	138



RTUBX

HALF-MOON RING WRENCH - RTUBX



Model No.	Metric	Width Box mm	Width Box mm	Overall Length mm
RTUBX0810	8x10	15.6	14.3	137
	10x12	18.2	15.6	141
	11x13	21.0	18.2	165
	12x14	21.0	18.2	165
	13x15	25.0	22.0	190
	14x17	25.0	22.0	190
	16x18	28.0	25.5	220
	17x19	28.0	25.5	220
	19x22	32.5	28.6	256
	RT18031	5pcs Half-Moon Ring Wrench set Content: 10x12, 12x14, 13x15, 16x18, 19x22 mm		

HAND TOOLS - WRENCHES




BNF

FLARE NUT WRENCH

Model No.	Size	Model No.	Size	D1	D2	T1	T2	L
300460101011	8 mm x 9 mm			17.8	19.8	6.8	8.3	130
300460101021	8 mm x 10 mm	300460101022	3/8" x 5/16"	17.8	19.8	6.8	8.3	130
300460101031	10 mm x 11 mm	300460101032	3/8" x 7/16"	19.8	21.8	8.3	8.8	150
300460101041	10 mm x 12 mm			19.8	21.8	8.3	8.8	150
300460101051	11 mm x 13 mm	300460101052	7/16" x 1/2"	21.8	25.8	8.8	10.8	165
300460101061	12 mm x 13 mm			21.8	25.8	8.8	10.8	165
300460101071	12 mm x 14 mm			23.9	27.8	9.8	11.8	175
300460101081	13 mm x 14 mm	300460101082	1/2" x 9/16"	23.9	27.8	9.8	11.8	175
300460101091	14 mm x 17 mm	300460101092	9/16" x 5/8"	27.8	31.8	11.8	12.8	190
300460101101	16 mm x 17 mm			27.8	31.8	11.8	12.8	190
300460101111	17mm x 19 mm	300460101112	11/16" x 3/4"	31.8	34.8	12.8	13.8	210
300460101121	18 mm x 19 mm			31.8	34.8	12.8	13.8	210
300460101131	19 mm x 22 mm	300460101132	3/4" x 7/8"	34.8	40.8	13.8	15.8	230
300460101141	20 mm x 22 mm			34.8	40.8	13.8	15.8	230
300460101151	21 mm x 23 mm			40.8	44.8	15.8	16.8	250
300460101161	22 mm x 24 mm	300460101162	7/8" x 1"	40.8	44.8	15.8	16.8	250
300460101171	24 mm x 27 mm			44.8	47.8	16.8	17.8	270
300460101181	25 mm x 28 mm	300460101182	1" x 1-1/8"	44.8	47.8	16.8	17.8	270
300460101191	26 mm x 29 mm			44.8	47.8	16.8	17.8	270
300460101201	30 mm x 32 mm	300460101202	1-1/8" x 1-1/4"	49.8	51.8	20.8	22.8	290

HAND TOOLS - WRENCHES



LDR

EXTRA LONG DOUBLE RING WRENCH

Model No.	Size	D1	D2	T1	T2	L
300440101011	8 mm x 9 mm	11.8	14.3	7.0	8.0	235
300440101021	8 mm x 10 mm	11.8	14.3	7.0	8.0	235
300440101031	9 mm x 11 mm	14.5	16.8	8.0	9.0	290
300440101041	10 mm x 11 mm	14.5	16.8	8.0	9.0	290
300440101051	10 mm x 12 mm	14.5	16.8	8.0	9.0	290
300440101061	11 mm x 13 mm	16.9	19.9	10.0	11.0	328
300440101071	12 mm x 13 mm	16.9	19.9	10.0	11.0	328
300440101081	12 mm x 14 mm	16.9	19.9	10.0	11.0	328
300440101091	13 mm x 15 mm	18.8	22.2	11.0	12.0	368
300440101101	14 mm x 15 mm	18.8	22.2	11.0	12.0	368
300440101111	14 mm x 17 mm	21.0	24.3	12.5	13.5	388
300440101121	16 mm x 17 mm	21.0	24.3	12.5	13.5	388
300440101131	16 mm x 18 mm	24.3	26.7	14.0	15.0	408
300440101141	17mm x 19 mm	24.3	26.7	14.0	15.0	408
300440101151	18 mm x 19 mm	24.3	26.7	14.0	15.0	408
300440101161	19 mm x 21 mm	27.8	29.7	15.0	16.0	415
300440101171	19 mm x 22 mm	27.8	29.7	15.0	16.0	415
300440101181	20 mm x 21 mm	27.8	29.7	15.0	16.0	415
300440101191	20 mm x 22 mm	27.8	29.7	15.0	16.0	415
300440101201	21 mm x 23 mm	29.8	32.8	16.0	17.0	430
300440101211	22 mm x 24 mm	29.8	32.8	16.0	17.0	430
300440101221	23 mm x 26 mm	34.0	37.0	17.0	18.0	445
300440101231	24 mm x 27 mm	34.0	39.0	17.0	18.0	445
300440101241	25 mm x 28 mm	34.0	39.0	17.0	18.0	445
300440101251	29 mm x 32 mm	44.0	47.0	18.0	19.0	460
300440101261	30 mm x 32 mm	44.0	47.0	18.0	19.0	460

HAND TOOLS - WRENCHES

**ANTI-SLIP PR TYPE
COMBINATION WRENCH**



**45° ANTI-SLIP
DOUBLE RING WRENCH**



**Unique ring design solves
bolts problem**



ANTI-SLIP PR TYPE COMBINATION WRENCH

Model No.	Size	Width Open Nm	Width Box Nm	Overall Length mm
RTPRM008	8 mm	13.03	33.81	142
RTPRM009	9 mm	18.09	44.49	155
RTPRM010	10 mm	24.30	56.94	161
RTPRM011	11 mm	31.65	71.25	168
RTPRM012	12 mm	40.38	87.91	174
RTPRM013	13 mm	50.57	104.86	180
RTPRM014	14 mm	62.23	125.44	193
RTPRM015	15 mm	75.46	147.00	200
RTPRM016	16 mm	90.45	171.50	207
RTPRM017	17 mm	104.86	196.98	227
RTPRM018	18 mm	125.44	225.40	239
RTPRM019	19 mm	146.02	255.78	250

45° ANTI-SLIP DOUBLE RING WRENCH

Model No.	Size	Width Open Nm	Width Box Nm	Overall Length mm
RTPSA0810	8 x10 mm	8mm 33.81	10mm 55.94	170
RTPSA1213	12 x13 mm	12mm 87.91	13mm 104.86	198
RTPSA1415	14 x15 mm	14mm 125.44	15mm 147.00	232
RTPSA1617	16 x17 mm	16mm 171.50	17mm 196.98	237
RTPSA1819	18 x19 mm	18mm 225.40	19mm 255.78	270

Available for EVA foam or pouch packed



HAND TOOLS - WRENCHES



ANTI-SLIP EXTRA LONG DOUBLE RING WRENCH


Model No.	Size	Width Open Nm	Width Box Nm	Overall Length mm
RTLSA0810	8 x10 mm	8mm 33.81	10mm 55.94	235
RTLSA1213	12 x13 mm	12mm 87.91	13mm 104.86	328
RTLSA1415	14 x15 mm	14mm 125.44	15mm 147.00	368
RTLSA1617	16 x17 mm	16mm 171.50	17mm 196.98	388
RTLSA1819	18 x19 mm	18mm 225.40	19mm 255.78	408




RT18143A

Metric Socket / Wrench Insert Set (Non-Marring)

Fastener	Socket	Torque
8 mm	12 mm	9 Nm
10mm	14 mm	17 Nm
12mm	16 mm	27 Nm
13mm	17 mm	45 Nm
15mm	19 mm	50 Nm
17mm	22 mm	79 Nm



- Do not use with impact tools.
- Marked for easy identification, large lip for easy removal.
- Will not damage soft metals, plated fasteners or powder coated surfaces.
- General automotive use, decorative polished engine components, rims, door thresholds, motorcycles, boats / marine, trucks, bezels, grips / handles, step rails, exhaust / stack components, bumpers, gear shift plates, air cleaner canister, front grill and manufacturing equipment.



RT18143B

SAE Socket / Wrench Insert Set (Non-Marring)

Fastener	Socket	Torque
3/8"	1/2"	135 in-lb
7/16"	9/16"	200 in-lb
1/2"	5/8"	350 in-lb
9/16"	11/16"	430 in-lb

POWER TOOLS - NEW WHEEL NUT DEEP IMPACT SOCKET

- New improved wheel impact socket torque tested to 500Nm over 2500+repetitions before failure
- New model offers 4.2 x Product Life than previous model
- Plastic protection sleeve for wheel protection
- Color coded for easy size identification
- Available individually 15,17,19,21,22mm x 85mm(L) or 4 piece in one set
- Available longer individually 17,19,21mm x 150mm(L)



NEW IMPACT UNIVERSAL ADAPTER

- New improved impact universal adapter with ring to make longer life
- The adapter head bent angle also improved.
- Available individually 1/4, 3/8, 1/2, 3/4 & 1" or 3 piece in one set



POWER TOOLS - STANDARD WHEEL NUT DEEP IMPACT SOCKET

- 1/2" Dr.
- With PP material thin sleeve to protect the rim when screwing the wheel bolts
- Thin PP protective sleeve with thicker wall impact socket
- PP sleeve can not be replaced.
- Available individually 14,15,17,19,21,22,24mm x 85mm(L) or 3, 4, 5piece in one set
- Available longer individually 17,19,21mm x 100 & 150mm(L)



RT-16025

4PCS 85MM (L)
17,19,21,22mm



RT-16039

3PCS 100MM (L)
17,19,21mm



RT-16040

3PCS 150MM (L)
17,19,21mm



RT-16041

4PCS 85MM (L)

Size: 1/2" Dr. x 17mm x 78mm(L)
For M-BENZ vehicles repaired
Suitable for M-Benz :
C Class , GLK Class (W204)
E Class (W211, W212, W207)
SLK Class (W172)



M Class & ML Class
(W164&W166)
CL Class (CL-500) W216)
S Class (W221 & W222)

IMPACT UNIVERSAL SOCKET SET

* Available for 1/4, 3/8 & 1/2" drive in metric & SAE sizes



RT-16109

**10PCS 3/8" DR. DEEP IMPACT
UNIVERSAL SOCKET SET**

● 10,11,12,13,14,15,16,17,18,19mm



RT-16113

**10PCS 3/8" DR. IMPACT UNIVERSAL
SOCKET SET**

● 10,11,12,13,14,15,16,17,18,19mm

RT-16111

**10PCS 1/2" DR. DEEP IMPACT
UNIVERSAL SOCKET SET**

● 10,11,12,13,14,15,16,17,18,19mm

RT-16115

**10PCS 1/2" DR. DEEP IMPACT
UNIVERSAL SOCKET SET**

● 10,11,12,13,14,15,16,17,18,19mm

TORQUE TOOLS - TORQUE WRENCH

WINDOW SCALE PULL-PUSH LOCKING



- * Accuracy + 3%
- * Window scale design makes it easy to read.
- * Operated by unique pull-push locking system.



window scale

Item No.	Drive	Nm	D (mm)	H (mm)	L (mm)	G (Kg)
RPWA20025D01	1/4"	5-25	26.5	22	290	0.42
RPWA30050D01	3/8"	10-50	40.5	37	360	0.92
RPWA30100D01	3/8"	20-100	40.5	40	405	1.02
RPWA40100D01	1/2"	20-100	40.5	40	405	1.02
RPWA40200D01	1/2"	40-200	40.5	40	500	1.2
RPWA40300D01	1/2"	60-300	40.5	40	595	1.33
RPWA40400D01	1/2"	80-400	40.5	40	680	1.82
RPWA60550D01	3/4"	110-550	63	58	970	3.7
RPWA60750D01	3/4"	150-750	63	58	1150	5.6
RPWA81000D01	1"	200-1000	63	63	1250	7.2

WINDOW SCALE & TURN LOCKING



- * Accuracy + 3%
- * Window scale design makes it easy to read.
- * Operated by unique turn locking system.



window scale & turn locking

Item No.	Drive	Nm	D (mm)	H (mm)	L (mm)	G (Kg)
RPWC20025D01	1/4"	5-25	26.5	22	290	0.42
RPWC30050D01	3/8"	10-50	40.5	37	360	0.92
RPWC30100D01	3/8"	20-100	40.5	40	405	1.02
RPWC40100D01	1/2"	20-100	40.5	40	405	1.02
RPWC40200D01	1/2"	40-200	40.5	40	500	1.2
RPWC40300D01	1/2"	60-300	40.5	40	595	1.33
RPWC40400D01	1/2"	80-400	40.5	40	680	1.82
RPWC60550D01	3/4"	110-550	63	58	970	3.7
RPWC60750D01	3/4"	150-750	63	58	1150	5.6
RPWC81000D01	1"	200-1000	63	63	1250	7.2

TORQUE HANDLE (For Interchangeable use)



Item No.	End Size	Nm	RPWA	RPWC
RPWCA0025D01	9*12	5-25	YES	YES
RPWCA0050D01	9*12	10-50	YES	YES
RPWCA0100D01	9*12	20-100	YES	YES
RPWCA0200D01	9*12	40-200	YES	YES
RPWCB0100D01	14*18	20-100	YES	YES
RPWCB0200D01	14*18	40-200	YES	YES
RPWCB0300D01	14*18	60-300	YES	YES
RPWCB0400D01	14*18	80-400	YES	YES
RPWCB0550D01	14*18	110-550	YES	YES
RPWCB0750D01	14*18	150-750	YES	YES

VEHICLE REPAIR TOOLS - RANGE OF FUEL, INJECTION, PLUG, GLOW PLUG & A/C TOOLS



RA1063

9PCS SCREW EXTRACTOR SET

- Made of hi-grade steel heat treated.
- Quick & easy way to remove broken screws, pipes, bolts & studs.
- Removes screw size
No.1 1/8"-1/4" (M3-6), No.2 1/4"-5/16" (M6-8)
No.3 5/16"-7/16" (M8-11), No.4 7/16"-9/16" (M11-14)
No.5 9/16"-3/4" (M14-18), No.6 3/4"-1" (M18-25)
No.7 1"-1 1/8" (M25-28), No.8 1 1/8"-1 1/4" (M28-32)
No.9 1 1/4"-1 7/16" (M32-36)
- Used drill size
No.1 7/64" No.2 9/64" No.3 5/32"
No.4 1/4" No.5 19/64" No.6 13/32"



RA1065

UNIVERSAL THREAD RESTORING FILE

- The universal thread restoring file is designed to renew all 60° machine screw
- Fractional, metric, npt and nps pipe thread sizes of any diameter.
- It will restore right or left hand threads
- Thread angle: 60
- Length x size: 9" x 7/8" x 1/8"



RA1067

BENZ INJECTOR NOZZLE INSTALLER (M278)

- Fuel injectors must be installed immediately after calibration of the sealing rings.
- Clean base surface for sealing ring on fuel injector
- Application: BENZ M278 engine.
- Engines: 133, 152, 157, 270, 274, 276, 278
- BENZ oem no. ref.: 272 589 00 43 00
- Material: stainless-steel



RA1069

FUEL RETURN LINE TOOL (VAG TDI - CR)

- Designed for professional removal / installation of the fuel return line push - fit connector (round type) at the injectors.
- Suitable for VW, Audi, Skoda, Seat 2.0, 2.7 and 3.0 TDI common rail diesel engine.



RA1071

INJECTOR SHAFT CLEANING SET

- To clean the injector shaft and seat as well as the injector surface.

CE



Made in Taiwan

Redtex

REDTEX INDUSTRIAL CO., LTD.

6F.-3, NO.100, Sec. 2, Songzhu 5th Rd, Beitun Dist., Taichung City 406, Taiwan.

Tel :+886-4-24371086 Fax:+886-4-24373820 E-mail:redtex.ind@msa.hinet.net

Official Website:www.redtex.com.tw